



HENGTIME plastic cases

THE **BETTER** CHOICE

Carrying Cases



Carrying Cases	5
“click-lock” Series	6
overview, specifications	11



“flip-lock” Series	12
overview, specifications	15



“Suitcase-Style” Series	16
overview, specifications	17



“Go!” Series	18
overview, specifications	21

Waterproof Cases



Waterproof Cases	22
WP heavy duty cases	23
features, branding	41
WP long cases	42
overview, specifications	44
outdoor boxes	46
features, accessories	48
overview, specifications	49



Custom made Cases & Parts



Custom Made	50
custom-made cases	51



custom-made parts	52
-------------------	----




Injection tool	52
Production Service	

Commitments

Environment and Sustainability	65
Responsibility	65
Social Responsibility and Inclusion	65

Materials



Materials	53
Plastic Polymers	53
Foam Materials	54

Individualization



Branding	55
Colors, Printing	56
Surface & Lables	57
Laser Marking	58
Display Packaging	58
Interior Case Design	59
Foam Interior	60
Blister & Tray Interior	61




value-added services



Value-Added Services	62
Sourcing	62
Technical Services	62



Assembly Service	63
Quality Control	63




Logistics Services	64
Packaging Services	64
Temporary Storage	64
On-Demand Delivery	64
Air Freight	64
Sea Freight	64


more HengTime products



Small Storage Boxes	66
Pharmaceutical Boxes	



Cosmetic Boxes	66
Toy Boxes	



Mobile Power Systems	66
-----------------------------	-----------

Connect

Hengtime in the www	66
Subsidiaries & Affiliates	66
Locations	66
Get in touch!	66/67

LEAVE A MARK !

THANK YOU for your interest in our products and services.

An especially warm welcome to all new readers of this catalogue. We hope that you get some idea about our company, our products, and what we can do for you

We are looking forward to you becoming part of our highly valued segment of long-term customers.

Again, more often than not we have been rewarded with trust and friendship, working on big and small projects, helping out with advice and services, always ready to go the extra mile, and we are committed to continue doing so.

We are especially grateful for being rated for our products, services and expertise, and not cancelled just because of global politics and fear of hypothetical trade war scenarios.

Nevertheless we have been addressing this issue, and we are already serving EMEA (Europe, the Middle East and Africa) customers out of Italy, with a strong focus on custom design products and R&D.

Naturally, we are looking forward to meet face-to-face to hear about your projects and challenges.

Welcome to our offices in Italy, Hong Kong, or China!

PRODUCT RANGE

We manufacture and export injection moulded cases, custom made cases and parts, and electronic products, batteries and more, related to portable integrated systems.

Our product scope includes plastic carrying cases, ABS equipment cases, waterproof carry cases, trolleys and long cases, outdoor boxes, small storage boxes, cosmetic and beauty boxes, and more.

We are constantly developing new models and designs.

EXPERTISE

Our dedicated **HENGTIME** teams with focus on quality and costs are experts in design, waterproofing, injection tool making, plastic production, assembly, and logistics.

COOPERATION

We have the ability to develop a project in-house from the initial idea to the final product.

SMOOTH WORKFLOWS

Our sales teams will find the right casing for your needs, and your personal **HENGTIME** project manager brings together design lab, custom interior department and printing department, coordinates color customizing, production, foam interior design and production, branding with printing or otherwise, packing, and shipping.

Working hand-in-hand turning your individual and unique casing project into a market-ready success story - in surprisingly short time.

QUALITY and TRANSPARENT COMMUNICATION

High quality standards, and continuous quality control in all production and customizing steps, on top of constant communication between team and customer, guarantee 100% customer satisfaction - on *all* continents (Yes, **HENGTIME** products arrived eventually in Antarctica!)

RESPONSIBLE AND INCLUSIVE

Right from the start of **HENGTIME**, decisions have been guided by social and environmental considerations.

Inclusion, race and gender-wise, is not just a trending slogan for us, but everyday reality.


Have a look at page 65, if you are interested to knowing more about our company culture.

Let **HENGTIME** show you how to get the most from your casing budget while strengthening your corporate image by making a bold statement in the marketplace.

With a **HENGTIME** hard sided carrying case for your products or presentation kits, you get a durable and economical solution to your packaging needs.

HENGTIME carrying cases protect your products or marketing tools - but the stylish and rugged cases leave the impression of solidity in a visually appealing form.

Get your case ready with us - Contact us today!



Carrying Cases

HT001	6	HT026	19
HT002	6	HT027	16
HT003	6	HT028	17
HT004	7	HT029	17
HT004B	7	HT034	20
HT004L	7	HT035	20
HT004XL	7	HT036	20
HT005	8	HT037	20
HT005M	8	HT110	10
HT005S	8		
HT006	8		
HT007R	12		
HT008	12		
HT008L	12		
HT009	9		
HT010	9		
HT010B	9		
HT010M	9		
HT012	10		
HT013	10		
HT014	10		
HT015	13		
HT016	13		
HT017	13		
HT018	13		
HT019	14		
HT019B	14		
HT020	16		
HT021	18		
HT021B	18		
HT022	18		
HT022B	18		
HT023	19		
HT024	19		
HT025	16		

Waterproof Heavy Duty Cases

HT9010	23	HT9049B	34
HT9011	23	HT9052	36
HT9012	23	HT9052T	36
HT9013	24	HT9053	37
HT9013B	24	HT9053B	37
HT9015	24	HT9054	37
HT9016	25	HT9054T	37
HT9018	25	HT9055	36
HT9019	25	HT9055T	36
HT9020	26	HT9056	38
HT9021	26	HT9056T	38
HT9021B	26	HT9061	39
HT9022	26	HT9061T	39
HT9023	27	HT9062T	39
HT9023B	27	HT9065	40
HT9024	28	HT9065T	40
HT9024B	28	HT9072T	39
HT9030	28	HT9082T	40
HT9030B	28	HT9083T	40
HT9031	29	HT9090T	42
HT9032	27	HT9095T	43
HT9033	29	HT9151	35
HT9033B	29	HT9151B	35
HT9034	29	HT9213	24
HT9035	30	HT9216	25
HT9037	31	HT9235	30
HT9037B	31	HT9237	31
HT9038	30	HT9248	35
HT9039	30	HT9257	38
HT9040	33	HT9257T	38
HT9041	32	HT9291T	43
HT9042	32	HT9292T	42
HT9042B	32	HT9294T	42
HT9043	32	HT9295T	42
HT9044	34	HT9296T	43
HT9045	33	HT9297T	43
HT9045T	33		
HT9046	34		
HT9047	33		
HT9048	35		
HT9049	34		

Trolley Cases

HT9045T	33
HT9052T	36
HT9054T	37
HT9055T	36
HT9056T	38
HT9061T	39
HT9062T	39
HT9065T	40
HT9072T	39
HT9082T	40
HT9083T	40
HT9090T	42
HT9095T	43
HT9257T	37
HT9291T	43
HT9292T	42
HT9294T	42
HT9295T	42
HT9296T	43
HT9297T	43

Long Cases

HT9090T	42
HT9095T	43
HT9291T	43
HT9292T	42
HT9294T	42
HT9295T	42
HT9296T	43
HT9297T	43

Waterproof Outdoor Cases

HT055PT	48
HT063PT	48
HT057PT	48
HT071PT	48
HT501	46
HT505	46
HT507	46
HT510	46
HT550	46
HT570	46
HT601	46
HT602	46
HT603	46
HT610	46
HT620	46
HT621	46
HT622	46
HT630	46
HT701	47
HT701-1	47
HT702	47
HT703	47
HT710	47
HT710-1	47
HT720	47
HT730	47
HT732	47
HT901	47

carrying cases.

Our carrying cases are virtually “the” universal packing solution.
This durable and stable protection of your items is unbeatable in price to lifetime ratio - especially compared to cardboard packagings.

Duty Level with sense.

Our four basic case series feature *Light Duty Level* up to *Medium Plus Duty Level* products.

Save on product costs and shipping costs with the best choice of the right product for your application.

There are many different sizes available and your **HENGTIME** project manager will help you in all project stages, from product selection, branding, interior to your finished individual casing solution - compact, stable, and cool look.

Get your case ready with us - Contact us today!

HENGTIME “click-lock” cases

standard cases, low weight,
excellent cost / quality ratio
for any budget. Click-lock latches.

Light Duty
◆◆◆◆◆

\$\$\$\$\$



HENGTIME “flip-lock” cases

Medium duty, high stability, padlock-able,
Very stable Flip-lock mechanism.

Medium Duty
◆◆◆◆◆

\$\$\$\$\$



HENGTIME “suitcase-style” cases

Medium to heavy duty, very high stability,
Very stable patent latches.
Suitcase look, less tech look

Medium+ Duty
◆◆◆◆◆

\$\$\$\$\$



HENGTIME “Go!” cases

Medium to heavy duty, very high stability,
padlock-able,
Very stable patent latches.
Some models are waterproof.

Medium+ Duty
◆◆◆◆◆

\$\$\$\$\$



All cases are customizable in color, branding, and case interior.

Material: PP / PPCP

ALL materials are RoHS 3 (EU Directive 2015/863), REACH (EC No 1907/2006), and California Proposition 65 compliant.

HT 001

Outer Dimensions:
195 x 170 x 45 mm
7.7" x 6.7" x 1.8"

Interior Dimensions:
190 x 125 x 40 mm
7.5" x 4.9" x 1.6"

Netto Weight:
186 grams / 0.4 lb



HT 002

Outer Dimensions:
235 x 175 x 45 mm
9.3" x 6.9" x 1.8"

Interior Dimensions:
225 x 155 x 40 mm
8.9" x 6.1" x 1.6"

Netto Weight:
230 grams / 0.5 lb



HT 003

Outer Dimensions:
250 x 205 x 82 mm
9.8" x 8.1" x 3.2"

Interior Dimensions:
245 x 160 x 65 mm
9.6" x 6.3" x 2.6"

Netto Weight:
330 grams / 0.7 lb



HT 004

Outer Dimensions:
250 x 210 x 70 mm
9.8" x 8.3" x 2.8"

Interior Dimensions:
242 x 180 x 64 mm
9.5" x 7.1" x 2.5"

Netto Weight:
300 grams / 0.7 lb



HT 004L

Outer Dimensions:
250 x 210 x 100 mm
9.8" x 8.3" x 3.9"

Interior Dimensions:
242 x 180 x 92 mm
9.5" x 7.1" x 3.6"

Netto Weight:
400 grams / 0.9 lb



HT 004XL

Outer Dimensions:
250 x 210 x 125 mm
9.8" x 8.3" x 4.9"

Interior Dimensions:
242 x 180 x 120 mm
9.5" x 7.1" x 4.7"

Netto Weight:
470grams / 1.0 lb



HT 004B

Outer Dimensions:
250 x 210 x 70 mm
9.8" x 8.3" x 2.8"

Interior Dimensions:
242 x 180 x 64 mm
9.5" x 7.1" x 2.5"

Netto Weight:
320 grams / 0.7 lb



HT 005s

Outer Dimensions:
280 x 230 x 50 mm
11" x 9.1" x 2"

Interior Dimensions:
270 x 176 x 44 mm
10.6" x 6.9" x 1.7"

Netto Weight:
360 grams / 0.8 lb



HT 005m

Outer Dimensions:
280 x 230 x 65 mm
11" x 9.1" x 2.6"

Interior Dimensions:
270 x 176 x 60 mm
10.6" x 6.9" x 2.4"

Netto Weight:
380 grams / 0.8 lb



HT 005

Outer Dimensions:
280 x 230 x 80 mm
11" x 9.1" x 3.1"

Interior Dimensions:
270 x 176 x 76 mm
10.6" x 6.9" x 3"

Netto Weight:
390 grams / 0.9 lb



HT 006

Outer Dimensions:
300 x 230 x 84 mm
11.8" x 9.1" x 3.3"

Interior Dimensions:
287 x 166 x 78 mm
11.3" x 6.5" x 3.1"

Netto Weight:
450 grams / 1.0 lb



HT 009

Outer Dimensions:
290 x 270 x 90 mm
11.4" x 10.6" x 3.5"

Interior Dimensions:
270 x 225 x 84 mm
10.6" x 8.9" x 3.3"

Netto Weight:
575 grams / 1.3 lbs



HT 010

Outer Dimensions:
340 x 275 x 80 mm
13.4" x 10.8" x 3.1"

Interior Dimensions:
325 x 245 x 76 mm
12.8" x 9.6" x 3"

Netto Weight:
545 grams / 1.2 lbs



HT 010B

Outer Dimensions:
340 x 280 x 80 mm
13.4" x 11" x 3.1"

Interior Dimensions:
325 x 245 x 76 mm
12.8" x 9.6" x 3"

Netto Weight:
560 grams / 1.2 lbs



HT 010M

Outer Dimensions:
315 x 260 x 125 mm
12.4" x 10.2" x 4.9"

Interior Dimensions:
308 x 230 x 115 mm
12.1" x 9.1" x 4.5"

Netto Weight:
750 grams / 1.7 lbs



HT 110

Outer Dimensions:
425 x 270 x 80 mm
16.7" x 10.6" x 3.1"

Interior Dimensions:
410 x 220 x 76 mm
16.1" x 8.7" x 3"

Netto Weight:
820 grams / 1.8 lbs



HT 012

Outer Dimensions:
352 x 305 x 80 mm
13.9" x 12" x 3.2"

Interior Dimensions:
325 x 291 x 74 mm
12.8" x 11.5" x 2.9"

Netto Weight:
660 grams / 1.45 lbs



HT 013

Outer Dimensions:
404 x 348 x 92 mm
15.9" x 13.7" x 3.6"

Interior Dimensions:
390 x 287 x 88 mm
15.4" x 11.3" x 3.5"

Netto Weight:
820 grams / 1.8 lbs



HT 014

Outer Dimensions:
405 x 350 x 95 mm
15.9" x 13.8" x 3.7"

Interior Dimensions:
390 x 287 x 88 mm
15.4" x 11.3" x 3.5"

Netto Weight:
820 grams / 1.8 lbs



Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Lock
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)	
HT 001	PP	195	170	45	7.7"	6.7"	1.8"	190	125	40	7.5"	4.9"	1.6"	186 g	0.4 lb	Click-Lock
HT 002	PP	235	175	45	9.3"	6.9"	1.8"	225	155	40	8.9"	6.1"	1.6"	230 g	0.5 lb	Click-Lock
HT 003	PP	250	205	82	9.8"	8.1"	3.2"	245	160	65	9.5"	6.3"	2.6"	330 g	0.7 lb	Click-Lock
HT 004	PP	250	210	70	9.8"	8.3"	2.8"	242	180	64	9.5"	7.1"	2.5"	300 g	0.7 lb	Click-Lock
HT 004L	PP	250	210	100	9.8"	8.3"	3.9"	242	180	92	9.5"	7.1"	3.6"	400 g	0.9 lb	Click-Lock
HT 004XL	PP	250	210	125	9.8"	8.3"	4.9"	242	180	120	9.5"	7.1"	4.7"	470 g	1.0 lb	Click-Lock
HT 004B	PP	250	210	70	9.8"	8.3"	2.8"	242	180	64	9.5"	7.1"	2.5"	320 g	0.7 lb	Click-Lock
HT 005S	PP	280	230	50	11.0"	9.1"	2.0"	270	176	44	10.6"	6.9"	1.7"	360 g	0.8 lb	Click-Lock
HT 005M	PP	280	230	65	11.0"	9.1"	2.6"	270	176	60	10.6"	6.9"	2.4"	380 g	0.8 lb	Click-Lock
HT 005	PP	280	230	80	11.0"	9.1"	3.1"	270	176	76	10.6"	6.9"	3.0"	390 g	0.9 lb	Click-Lock
HT 006	PP	300	230	84	11.8"	9.1"	3.3"	287	166	78	11.3"	6.5"	3.1"	450 g	1.0 lb	Click-Lock
HT 009	PP	290	270	90	11.4"	10.6"	3.5"	270	225	84	10.6"	8.9"	3.3"	575 g	1.3 lbs	Click-Lock
HT 010	PP	340	275	80	13.4"	10.8"	3.1"	325	245	76	12.8"	9.6"	3.0"	545 g	1.2 lbs	Click-Lock
HT 010B	PP	340	280	80	13.4"	11.0"	3.1"	325	245	76	12.8"	9.6"	3.0"	560 g	1.2 lbs	Click-Lock
HT 010M	PP	315	260	125	12.4"	10.2"	4.9"	308	230	115	12.1"	9.1"	4.5"	750 g	1.7 lbs	Click-Lock
HT 110	PP	425	270	80	16.7"	10.6"	3.1"	410	220	76	16.1"	8.7"	3.0"	820 g	1.8 lbs	Click-Lock
HT 012	PP	352	305	80	13.9"	12.0"	3.1"	325	291	74	12.8"	11.5"	2.9"	660 g	1.5 lbs	Click-Lock
HT 013	PP	404	348	92	15.9"	13.7"	3.6"	390	287	88	15.4"	11.3"	3.5"	820 g	1.8 lbs	Click-Lock
HT 014	PP	405	350	95	15.9"	13.8"	3.7"	390	287	88	15.4"	11.3"	3.5"	820 g	1.8 lbs	Click-Lock

HT 007R

Outer Dimensions:
265 x 210 x 88 mm
10.4" x 8.3" x 3.5"

Interior Dimensions:
260 x 177 x 76 mm
10.2" x 7" x 3"

Netto Weight:
300 grams / 0.7 lb



HT 008

Outer Dimensions:
350 x 240 x 82 mm
13.8" x 9.4" x 3.2"

Interior Dimensions:
320 x 175 x 76 mm
12.6" x 6.9" x 3"

Netto Weight:
620 grams / 1.4 lbs



HT 008L

Outer Dimensions:
410 x 260 x 82 mm
16.1" x 10.2" x 3.2"

Interior Dimensions:
403 x 200 x 76 mm
15.9" x 7.9" x 3"

Netto Weight:
620 grams / 1.4 lbs



HT 015

Outer Dimensions:
430 x 315 x 100 mm
16.9" x 12.4" x 3.9"

Interior Dimensions:
415 x 265 x 88 mm
16.3" x 10.4" x 3.5"

Netto Weight:
835 grams / 1.8 lb



HT 016

Outer Dimensions:
430 x 320 x 120 mm
16.9" x 12.6" x 4.7"

Interior Dimensions:
415 x 270 x 115 mm
16.3" x 10.6" x 4.5"

Netto Weight:
915 grams / 2 lbs



HT 017

Outer Dimensions:
460 x 348 x 110 mm
18.1" x 13.7" x 4.3"

Interior Dimensions:
440 x 290 x 100 mm
17.3" x 11.4" x 3.9"

Netto Weight:
1,260 grams / 2.8 lbs



HT 018

Outer Dimensions:
480 x 370 x 145 mm
18.9" x 14.6" x 5.7"

Interior Dimensions:
460 x 320 x 140 mm
18.1" x 12.6" x 5.5"

Netto Weight:
1,200 grams / 2.6 lbs



HT 019

Outer Dimensions:
530 x 330 x 133 mm
20.9" x 13" x 5.2"

Interior Dimensions:
515 x 295 x 128 mm
20.3" x 11.6" x 5"

Netto Weight:
1,860 grams / 4.1 lbs



HT 019B

Outer Dimensions:
540 x 395 x 145 mm
21.3" x 15.6" x 5.7"

Interior Dimensions:
527 x 324 x 133 mm
20.7" x 12.8" x 5.2"

Netto Weight:
2,030 grams / 4.5 lbs



carrying cases. flip lock / overview

Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Lock
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)	
HT 007R	PP	265	210	88	10.4"	8.3"	3.5"	260	177	76	10.2"	7.0"	3.0"	300 g	0.7 lb	Flip-Lock
HT 008	PP	350	240	82	13.8"	9.4"	3.2"	320	175	76	12.6"	6.9"	3.0"	470 g	1.0 lb	Flip-Lock
HT 008L	PP	410	260	82	16.1"	10.2"	3.2"	403	200	76	15.9"	7.9"	3.0"	620 g	1.4 lb	Flip-Lock
HT 015	PP	430	315	100	16.9"	12.4"	3.9"	415	265	88	16.3"	10.4"	3.5"	835 g	1.8 lbs	Flip-Lock
HT 016	PP	430	320	120	16.9"	12.6"	4.7"	415	270	115	16.3"	10.6"	4.5"	915 g	2.0 lbs	Flip-Lock
HT 017	PP	460	348	110	18.1"	13.7"	4.3"	440	290	100	17.3"	11.4"	3.9"	1,260 g	2.8 lbs	Flip-Lock
HT 018	PP	480	370	145	18.9"	14.6"	5.7"	460	320	140	18.1"	12.6"	5.5"	1,200 g	2.6 lbs	Flip-Lock
HT 019	PP	530	330	133	20.9"	13.0"	5.2"	515	295	128	20.3"	11.6"	5.0"	1,860 g	4.1 lbs	Flip-Lock
HT 019B	PP	540	395	145	21.3"	15.6"	5.7"	527	324	133	20.7"	12.8"	5.2"	2,030 g	4.5 lbs	Flip-Lock

carrying cases. flip lock / features



HT 025

Outer Dimensions:

480 x 380 x 150 mm
18.9" x 15" x 5.9"

Interior Dimensions:

460 x 335 x 140 mm
18.1" x 13.2" x 5.5"

Netto Weight:

1,900 grams / 4.2 lbs



HT 020

Outer Dimensions:

540 x 400 x 180 mm
21.3" x 15.7" x 7.1"

Interior Dimensions:

520 x 360 x 170 mm
20.5" x 14.2" x 6.7"

Netto Weight:

2,900 grams / 6.4 lbs



HT 027

Outer Dimensions:

450 x 373 x 153 mm
17.7" x 14.7" x 6"

Interior Dimensions:

430 x 330 x 140 mm
16.9" x 13" x 5.5"

Netto Weight:

4,300 grams / 9.5 lbs



carrying cases. suitcase style

HT 028

Outer Dimensions:

546 x 380 x 183 mm
21.5" x 15" x 7.2"

Interior Dimensions:

520 x 330 x 170 mm
20.5" x 13" x 6.7"

Netto Weight:

5,200 grams / 11.4 lbs



HT 029

Outer Dimensions:

611 x 440 x 193 mm
24.1" x 17.3" x 7.6"

Interior Dimensions:

590 x 390 x 180 mm
23.3" x 15.4" x 7.1"

Netto Weight:

5,900 grams / 13 lbs



carrying cases. suitcase style / overview

Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Remarks
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)	
																ALL Click-Lock
HT 025	PP	480	380	150	18.9"	15.0"	5.9"	460	335	140	18.1"	13.2"	5.5"	1,900 g	4.2 lbs	
HT 020	PP	540	400	180	21.3"	15.7"	7.1"	520	360	170	20.5"	14.2"	6.7"	2,900 g	6.4 lbs	
HT 027	PP	450	373	153	17.7"	14.7"	6.0"	430	330	140	16.9"	13.0"	5.5"	4,300 g	9.5 lbs	
HT 028	PP	546	380	183	21.5"	15.0"	7.2"	520	330	170	20.5"	13.0"	6.7"	5,200 g	11.4 lbs	
HT 029	PP	611	440	193	24.1"	17.3"	7.6"	590	390	180	23.2"	15.4"	7.1"	5,900 g	13.0 lbs	

carrying cases. suitcase style / features



Double Handle



Safety lock (closed)



Safety lock (open)



Fortified Hinge

HT 021

Outer Dimensions:

530 x 330 x 130 mm
20.9" x 13.0" x 5.1"

Interior Dimensions:

500 x 290 x 118 mm
19.7" x 11.4" x 4.6"

Netto Weight:

1,690 grams / 3.7 lbs



HT 021B

Outer Dimensions:

520 x 330 x 173 mm
20.9" x 13.0" x 6.8"

Interior Dimensions:

491 x 281 x 156 mm
19.3" x 11.1" x 6.1"

Netto Weight:

2,020 grams / 4.4 lbs



HT 022

Outer Dimensions:

443 x 285 x 105 mm
17.4" x 11.2" x 4.1"

Interior Dimensions:

410 x 235 x 95 mm
16.1" x 9.3" x 3.7"

Netto Weight:

915 grams / 2 lbs



HT 022B

Outer Dimensions:

443 x 285 x 155 mm
17.4" x 11.2" x 6.1"

Interior Dimensions:

410 x 235 x 148 mm
16.1" x 9.3" x 5.8"

Netto Weight:

1,150 grams / 2.5 lbs



HT 023

Outer Dimensions:
350 x 295 x 105 mm
13.8" x 11.6" x 4.1"

Interior Dimensions:
330 x 240 x 95 mm
13" x 9.4" x 3.7"

Netto Weight:
760 grams / 1.7 lbs



HT 024

Waterproof !



Outer Dimensions:
280 x 240 x 130 mm
11" x 9.4" x 5.1"

Interior Dimensions:
260 x 200 x 120 mm
10.2" x 7.9" x 4.7"

Netto Weight:
850 grams / 1.9 lbs



HT 026

Outer Dimensions:
360 x 200 x 95 mm
14.2" x 7.9" x 3.7"

Interior Dimensions:
340 x 160 x 90 mm
13.4" x 6.3" x 3.5"

Netto Weight:
630 grams / 1.4 lbs



HT 035

Outer Dimensions:
350 x 280 x 133 mm
13.8" x 11" x 5.2"

Interior Dimensions:
323 x 223 x 118 mm
12.7" x 8.8" x 4.6"

Netto Weight:
1,140 grams / 2.5 lbs



HT 036

Outer Dimensions:
380 x 298 x 120 mm
15" x 11.7" x 4.7"

Interior Dimensions:
363 x 258 x 106 mm
14.3" x 10.2" x 4.2"

Netto Weight:
1,050 grams / 2.3 lbs



HT 034

Outer Dimensions:
390 x 324 x 100 mm
15.4" x 12.8" x 3.9"

Interior Dimensions:
374 x 246 x 94 mm
14.7" x 9.7" x 3.7"

Netto Weight:
800 grams / 1.8 lbs



HT 037

Outer Dimensions:
470 x 360 x 168 mm
18.5" x 14.2" x 6.6"

Interior Dimensions:
443 x 303 x 153 mm
17.4" x 11.9" x 6"

Netto Weight:
2,250 grams / 5 lbs



carrying cases. Go! series / overview

Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Lock	WP
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)		
HT 021	PP	530	330	130	20.9"	13.0"	5.0"	500	290	118	19.7"	11.4"	4.6"	1,690 g	3.7 lbs	System lock	No
HT 021B	PP	530	330	173	20.9"	13.0"	6.8"	491	281	156	19.3"	11.1"	6.1"	2,020 g	4.4 lbs	System lock	No
HT 022	PP	443	285	105	17.4"	11.2"	4.1"	410	235	95	16.1"	9.3"	3.7"	915 g	2.0 lbs	System lock	No
HT 022B	PP	443	285	155	17.4"	11.2"	6.1"	410	235	148	16.1"	9.3"	5.8"	1,150 g	2.5 lbs	System lock	No
HT 023	PP	350	295	105	13.8"	11.6"	4.1"	330	240	95	13.0"	9.4"	3.7"	760 g	1.7 lbs	System lock	No
HT 024	PP	280	240	130	11.0"	9.4"	5.1"	260	200	120	10.2"	7.9"	4.7"	850 g	1.9 lbs	System lock	Yes
HT 026	PP	360	200	95	14.2"	7.9"	3.7"	340	160	90	13.4"	6.3"	3.5"	630 g	1.4 lbs	System lock	No
HT 035	PP	350	280	133	13.8"	11.0"	5.2"	323	223	118	12.7"	8.8"	4.6"	1,140 g	2.5 lbs	System lock	No
HT 036	PP	380	298	120	15.0"	11.7"	4.7"	363	258	106	14.3"	10.2"	4.2"	1,050 g	2.3 lbs	System lock	No
HT 034	PP	390	324	100	15.4"	12.8"	3.9"	374	246	94	14.7"	9.7"	3.7"	800 g	1.8 lbs	System lock	No
HT 037	PP	470	360	168	18.5"	14.2"	6.6"	443	303	153	17.4"	11.9"	6.0"	2,250 g	5.0 lbs	System lock	No

carrying cases. Go! series / features



heavy duty

[next page]

73 INTERPRETATIONS OF ULTIMATIVE PROTECTION

HENGTIME Heavy Duty Waterproof Cases are the top solution for ultimate protection of any product for professional and demanding applications.

PROPERTIES

This are the **NO-NONSENSE CASES**. *Made to last!*

Design and leading-edge top raw materials make them **waterproof up to 30m / 80ft** and almost undeformable.

IP68 / IK10 certified waterproof, dust-proof, and ingress protected.)*

Standard operating temperature range from **-20 to +80 °C / -4 to 176 °F**.

FEATURES

All **HENGTIME** Heavy Duty Waterproof Cases feature **professional safety clips**, a **purge vent**, and a **sealing gasket** in the lid.

The gasket is made of high grade Silicone, and not ageing.

No regular replacement necessary!

BRANDING



HENGTIME Heavy Duty Waterproof Cases can be easily branded according to your wishes, with **custom colors** and **lables**. They can be produced in all colors according to Pantone Color Code (Minimum quantities required).

CUSTOM INTERIORS

HENGTIME Heavy Duty Waterproof Cases PLUS a custom interior complete your casing project. Foam interior, blister or tray solutions possible.

Our project manager are happy to provide help and recommendations regarding case selection and interior design.

Get your case ready with us - Contact us today!



outdoor box

[page 46]

SMALL BUT POWERFUL

HENGTIME Outdoor Boxes fuse basically all protective features of Heavy Duty Waterproof Cases to a small form factor.

Ideal protection for smaller products or the handy case for outdoor and sports.

PROPERTIES, FEATURES, BRANDING, INTERIOR DESIGN

Almost all features of the Heavy Duty Waterproof Cases apply also to the smaller Outdoor Boxes. We offer a range of standard colors, but custom colors are also possible.

Get your case ready with us - Contact us today!



)* ALL heavy duty waterproof cases are certified according to IP68 (IEC/EN 60529) and IK10 (EN 622262)

HT 9010

Outer Dimensions:
210 x 166 x 90 mm
8.3" x 6.5" x 3.5"

Interior Dimensions:
188 x 124 x 75 mm
7.4" x 4.9" x 3.0"

Netto Weight:
600 grams / 1.3 lb



HT 9011

Outer Dimensions:
225 x 180 x 85 mm
8.9" x 7.1" x 3.3"

Interior Dimensions:
205 x 145 x 79 mm
8.1" x 5.7" x 3.1"

Netto Weight:
400 grams / 0.9 lb



HT 9012

Outer Dimensions:
240 x 200 x 110 mm
9.4" x 7.9" x 4.3"

Interior Dimensions:
220 x 145 x 95 mm
8.7" x 5.7" x 3.7"

Netto Weight:
710 grams / 1.6 lbs



Material: PPCP

HT 9013

Outer Dimensions:
270 x 155 x 215 mm
10.6" x 6.1" x 8.5"

Interior Dimensions:
227 x 80 x 200 mm
8.9" x 3.1" x 7.9"

Netto Weight:
1,220 grams / 2.7 lbs



HT 9013B

Outer Dimensions:
270 x 155 x 260 mm
10.6" x 6.1" x 10.2"

Interior Dimensions:
227 x 80 x 200 mm
8.9" x 3.1" x 7.9"

Netto Weight:
1,370 grams / 3.0 lbs



HT 9213

Material: PPCP

Outer Dimensions:
275 x 235 x 166 mm
10.8" x 9.3" x 6.5"

Interior Dimensions:
251 x 180 x 155 mm
9.9" x 7.1" x 6.1"

Netto Weight:
1,030 grams / 2.3 lbs



HT 9015

Outer Dimensions:
276 x 228 x 99 mm
10.9" x 9.0" x 3.9"

Interior Dimensions:
253 x 183 x 84 mm
10.0" x 7.2" x 3.3"

Netto Weight:
900 grams / 2.0 lbs



HT 9016

Outer Dimensions:
277 x 227 x 153 mm
10.9" x 9.0" x 6.0"

Interior Dimensions:
253 x 183 x 138 mm
10.0" x 7.2" x 5.4"

Netto Weight:
1,150 grams / 2.5 lbs



HT 9216

Material: PPCP

Outer Dimensions:
295 x 205 x 91 mm
11.6" x 8.1" x 3.6"

Interior Dimensions:
270 x 160 x 80 mm
10.6" x 6.3" x 3.1"

Netto Weight:
750 grams / 1.7 lbs



HT 9018

Outer Dimensions:
320 x 265 x 95 mm
12.6" x 10.4" x 3.7"

Interior Dimensions:
290 x 216 x 80 mm
11.4" x 8.5" x 3.2"

Netto Weight:
1,080 grams / 2.4 lbs



HT 9019

Outer Dimensions:
320 x 265 x 182 mm
12.6" x 10.4" x 7.2"

Interior Dimensions:
290 x 216 x 165 mm
11.4" x 8.5" x 6.5"

Netto Weight:
1,445 grams / 3.2 lbs



HT 9020

Outer Dimensions:
325 x 225 x 165 mm
12.8" x 8.9" x 6.5"

Interior Dimensions:
300 x 180 x 153 mm
11.8" x 7.0" x 6.0"

Netto Weight:
1,310 grams / 2.9 lbs



HT 9021

**Material: PPCP
or ABS**

Outer Dimensions:
335 x 260 x 125 mm
13.2" x 10.2" x 4.9"

Interior Dimensions:
300 x 200 x 120 mm
11.8" x 7.9" x 4.7"

Netto Weight:
1,600 grams / 3.5 lbs



HT 9021B

**Material: PPCP
or ABS**

Outer Dimensions:
335 x 260 x 220 mm
13.2" x 10.2" x 8.7"

Interior Dimensions:
300 x 200 x 200 mm
11.8" x 7.9" x 7.9"

Netto Weight:
1,710 grams / 3.8 lbs



HT 9022

Material: PPCP

Outer Dimensions:
332 x 280 x 130 mm
13.1" x 11.0" x 5.1"

Interior Dimensions:
300 x 223 x 110 mm
11.8" x 8.8" x 4.3"

Netto Weight:
1,390 grams / 3.1 lbs



HT 9023

Outer Dimensions:
340 x 315 x 120 mm
13.4" x 12.4" x 4.7"

Interior Dimensions:
308 x 257 x 105 mm
12.1" x 10.1" x 4.1"

Netto Weight:
1,740 grams / 3.8 lbs



HT 9023B

Outer Dimensions:
340 x 315 x 160 mm
13.4" x 12.4" x 6.3"

Interior Dimensions:
308 x 257 x 145 mm
12.1" x 10.1" x 5.7"

Netto Weight:
1,970 grams / 4.3 lbs



HT 9032

Outer Dimensions:
350 x 330 x 200 mm
13.8" x 13.0" x 7.9"

Interior Dimensions:
311 x 235 x 185 mm
12.2" x 9.3" x 7.3"

Netto Weight:
1,800 grams / 4.0 lbs



HT 9024

Outer Dimensions:
342 x 211 x 258 mm
13.5" x 8.3" x 10.2"

Interior Dimensions:
320 x 192 x 240 mm
12.6" x 7.6" x 9.5"

Netto Weight:
1,660 grams / 3.7 lbs



HT 9024B

Outer Dimensions:
342 x 211 x 290 mm
13.5" x 8.3" x 11.4"

Interior Dimensions:
320 x 192 x 240 mm
12.6" x 7.6" x 9.4"

Netto Weight:
1,730 grams / 3.8 lbs



HT 9030

Outer Dimensions:
350 x 280 x 200 mm
13.8" x 11" x 7.9"

Interior Dimensions:
330 x 215 x 175 mm
13.0" x 8.5" x 6.9"

Netto Weight:
1,700 grams / 3.8 lbs



HT 9030B

Outer Dimensions:
350 x 280 x 125 mm
13.8" x 11" x 4.9"

Interior Dimensions:
330 x 215 x 100 mm
13.0" x 8.5" x 3.9"

Netto Weight:
1,400 grams / 3.1 lbs



HT 9033

Outer Dimensions:
371 x 269 x 146 mm
14.6" x 10.6" x 5.7"

Interior Dimensions:
330 x 210 x 135 mm
13.0" x 8.3" x 5.3"

Netto Weight:
1,400 grams / 3.1 lbs

Material: PPCP
or ABS



HT 9033B

Outer Dimensions:
371 x 269 x 186 mm
14.6" x 10.6" x 7.3"

Interior Dimensions:
330 x 210 x 175 mm
13.0" x 8.3" x 6.9"

Netto Weight:
1,800 grams / 4.0 lbs

Material: PPCP
or ABS



HT 9034

Outer Dimensions:
372 x 267 x 105 mm
14.6" x 10.5" x 4.1"

Interior Dimensions:
335 x 206 x 95 mm
13.2" x 8.1" x 3.7"

Netto Weight:
1,750 grams / 3.9 lbs



HT 9031

Outer Dimensions:
365 x 270 x 169 mm
14.4" x 10.6" x 6.7"

Interior Dimensions:
337 x 212 x 156 mm
13.3" x 8.3" x 6.1"

Netto Weight:
1,600 grams / 3.5 lbs



HT 9035

Outer Dimensions:
387 x 289 x 104 mm
15.2" x 11.4" x 4.1"

Interior Dimensions:
355 x 234 x 93 mm
14" x 9.2" x 3.7"

Netto Weight:
1,500 grams / 3.3 lbs



HT 9235

Outer Dimensions:
385 x 358 x 140 mm
15.2" x 14.1" x 5.5"

Interior Dimensions:
350 x 300 x 130 mm
13.8" x 11.8" x 5.1"

Netto Weight:
1,900 grams / 4.2 lbs



Material: PPCP

HT 9038

Outer Dimensions:
390 x 290 x 202 mm
15.4" x 11.4" x 8.0"

Interior Dimensions:
366 x 246 x 185 mm
14.4" x 9.7" x 7.3"

Netto Weight:
1,790 grams / 3.9 lbs



HT 9039

Outer Dimensions:
405 x 318 x 215 mm
15.9" x 12.5" x 8.5"

Interior Dimensions:
367 x 256 x 195 mm
14.4" x 10.1" x 7.7"

Netto Weight:
2,500 grams / 5.5 lbs



HT 9037

Outer Dimensions:
405 x 365 x 135 mm
15.9" x 14.4" x 5.3"

Interior Dimensions:
376 x 307 x 110 mm
14.8" x 12.1" x 4.3"

Netto Weight:
2,100 grams / 4.6 lbs



HT 9037B

Outer Dimensions:
405 x 365 x 200 mm
15.9" x 14.4" x 7.9"

Interior Dimensions:
376 x 307 x 185 mm
14.8" x 12.1" x 7.3"

Netto Weight:
2,500 grams / 5.5 lbs



HT 9237

Outer Dimensions:
400 x 285 x 120 mm
15.7" x 11.2" x 4.7"

Interior Dimensions:
370 x 240 x 110 mm
14.6" x 9.4" x 4.3"

Netto Weight:
1,400 grams / 3.1 lbs



Material: PPCP

HT 9042

Outer Dimensions:
415 x 340 x 144 mm
16.3" x 13.4" x 5.7"

Interior Dimensions:
380 x 280 x 130 mm
15.0" x 11.0" x 5.1"

Netto Weight:
2300 grams / 5.1 lbs

Material: PPCP



HT 9042B

Outer Dimensions:
415 x 340 x 174 mm
16.3" x 13.4" x 6.9"

Interior Dimensions:
380 x 280 x 165 mm
15.0" x 11.0" x 6.5"

Netto Weight:
2600 grams / 5.7 lbs

Material: PPCP



HT 9041

Outer Dimensions:
415 x 319 x 168 mm
16.3" x 12.6" x 6.6"

Interior Dimensions:
387 x 267 x 154 mm
15.2" x 10.5" x 6.1"

Netto Weight:
2,000 grams / 4.4 lbs



HT 9043

Outer Dimensions:
456 x 355 x 133 mm
18.0" x 14.0" x 5.2"

Interior Dimensions:
415 x 290 x 120 mm
16.3" x 11.4" x 4.7"

Netto Weight:
2,600 grams / 5.7 lbs



HT 9045

Outer Dimensions:
456 x 372 x 185 mm
18.0" x 14.6" x 7.3"

Interior Dimensions:
421 x 303 x 171 mm
16.6" x 11.9" x 6.7"

Netto Weight:
3,000 grams / 6.6 lbs



HT 9045T

Trolley!

Outer Dimensions:
456 x 372 x 205 mm
18.0" x 14.6" x 8.1"

Interior Dimensions:
421 x 303 x 171 mm
16.6" x 11.9" x 6.7"

Netto Weight:
4,000 grams / 8.8 lbs



HT 9047

Outer Dimensions:
455 x 370 x 315 mm
17.9" x 14.6" x 12.4"

Interior Dimensions:
420 x 303 x 296 mm
16.5" x 11.9" x 11.7"

Netto Weight:
4,000 grams / 8.8 lbs



HT 9040

Outer Dimensions:
455 x 340 x 170 mm
17.9" x 13.9" x 6.7"

Interior Dimensions:
430 x 290 x 163 mm
16.9" x 11.4" x 6.4"

Netto Weight:
2,360 grams / 5.2 lbs



HT 9046

Outer Dimensions:
472 x 405 x 210 mm
18.6" x 15.9" x 8.3"

Interior Dimensions:
436 x 333 x 180 mm
17.2" x 13.1" x 7.1"

Netto Weight:
3,220 grams / 7.1 lbs



HT 9049

Material: PPCP

Outer Dimensions:
475 x 345 x 130 mm
18.7" x 13.6" x 5.1"

Interior Dimensions:
440 x 290 x 120 mm
17.3" x 11.4" x 4.7"

Netto Weight:
2,430 grams / 5.3 lbs



HT 9049B

Material: PPCP

Outer Dimensions:
475 x 345 x 193 mm
18.7" x 13.6" x 7.6"

Interior Dimensions:
440 x 290 x 185 mm
17.3" x 11.4" x 7.3"

Netto Weight:
2,360 grams / 5.2 lbs



HT 9044

Material: PPCP

Outer Dimensions:
480 x 375 x 170 mm
18.9" x 14.8" x 6.7"

Interior Dimensions:
440 x 320 x 155 mm
17.3" x 12.6" x 6.1"

Netto Weight:
2,380 grams / 5.2 lbs



HT 9048

Outer Dimensions:
490 x 400 x 190 mm
19.3" x 15.7" x 7.5"

Interior Dimensions:
454 x 325 x 170 mm
17.9" x 12.8" x 6.7"

Netto Weight:
3,300 grams / 7.3 lbs



HT 9248

Material: PPCP

Outer Dimensions:
490 x 395 x 215 mm
19.3" x 15.6" x 8.5"

Interior Dimensions:
465 x 335 x 200 mm
18.3" x 13.2" x 7.9"

Netto Weight:
3,700 grams / 8.1 lbs



HT 9151

Material: PPCP

Outer Dimensions:
521 x 421 x 140 mm
20.5" x 16.6" x 5.5"

Interior Dimensions:
460 x 360 x 130 mm
18.1" x 14.2" x 5.1"

Netto Weight:
3,020 grams / 6.7 lbs



HT 9151B

Material: PPCP

Outer Dimensions:
521 x 421 x 190 mm
20.5" x 16.6" x 7.5"

Interior Dimensions:
460 x 360 x 180 mm
18.1" x 14.2" x 7.1"

Netto Weight:
3,350 grams / 7.4 lbs



HT 9052

Outer Dimensions:

516 x 435 x 199 mm
20.3" x 17.1" x 7.8"

Interior Dimensions:

478 x 357 x 176 mm
18.8" x 14.10" x 6.9"

Netto Weight:

4,600 grams / 10.1 lbs



HT 9052T

Trolley!

Outer Dimensions:

516 x 435 x 215 mm
20.3" x 17.1" x 8.5"

Interior Dimensions:

478 x 357 x 176 mm
18.8" x 14.1" x 6.9"

Netto Weight:

5,600 grams / 12.3 lbs



HT 9055

Outer Dimensions:

550 x 440 x 210 mm
21.7" x 17.3" x 8.3"

Interior Dimensions:

505 x 355 x 180 mm
19.9" x 14.0" x 7.1"

Netto Weight:

4,920 grams / 10.9 lbs



HT 9055T

Trolley!

Outer Dimensions:

550 x 440 x 335 mm
21.7" x 17.3" x 13.2"

Interior Dimensions:

505 x 355 x 280 mm
19.9" x 14.0" x 11.0"

Netto Weight:

7,300 grams / 16.1 lbs



HT 9054

Outer Dimensions:
560 x 350 x 180 mm
22.0" x 13.8" x 7.1"

Interior Dimensions:
510 x 290 x 165 mm
20.1" x 11.4" x 6.5"

Netto Weight:
3,300 grams / 7.3 lbs



Material: PPCP

HT 9054T

Trolley!

Outer Dimensions:
560 x 350 x 235 mm
22.0" x 13.8" x 9.3"

Interior Dimensions:
510 x 290 x 190 mm
20.1" x 11.4" x 7.5"

Netto Weight:
6,120 grams / 13.5 lbs



Material: PPCP

HT 9053

Outer Dimensions:
560 x 456 x 185 mm
22.0" x 18.0" x 7.3"

Interior Dimensions:
500 x 400 x 165 mm
19.7" x 15.7" x 6.5"

Netto Weight:
4,000 grams / 8.8 lbs



Material: PPCP

HT 9053B

Outer Dimensions:
560 x 456 x 220 mm
22.0" x 18.0" x 8.7"

Interior Dimensions:
500 x 400 x 210 mm
19.7" x 15.7" x 8.3"

Netto Weight:
4,250 grams / 9.4 lbs



Material: PPCP

HT 9056

Outer Dimensions:

559 x 392 x 236 mm
22.0" x 15.4" x 9.3"

Interior Dimensions:

515 x 315 x 219 mm
20.3" x 12.4" x 8.6"

Netto Weight:

5,100 grams / 11.2 lbs



HT 9056T

Trolley!

Outer Dimensions:

559 x 392 x 256 mm
22.0" x 15.4" x 10.1"

Interior Dimensions:

515 x 315 x 219 mm
20.3" x 12.4" x 8.6"

Netto Weight:

6,100 grams / 13.4 lbs



HT 9257

Material: PPCP

Outer Dimensions:

575 x 421 x 207 mm
22.6" x 16.6" x 8.1"

Interior Dimensions:

515 x 360 x 165 mm
20.3" x 14.2" x 6.5"

Netto Weight:

3,850 grams / 8.5 lbs



HT 9257T

Trolley!

Material: PPCP

Outer Dimensions:

575 x 421 x 287 mm
22.6" x 16.6" x 11.3"

Interior Dimensions:

515 x 360 x 245 mm
20.3" x 14.2" x 9.6"

Netto Weight:

6,820 grams / 15 lbs



HT 9061

Outer Dimensions:

550 x 550 x 360 mm
21.7" x 21.7" x 14.2"

Interior Dimensions:

490 x 490 x 345 mm
19.3" x 19.3" x 13.6"

Netto Weight:

5,550 grams / 12.2 lbs



HT 9061T

Trolley!

Outer Dimensions:

550 x 550 x 390 mm
21.7" x 21.7" x 15.4"

Interior Dimensions:

490 x 490 x 345 mm
19.3" x 19.3" x 13.6"

Netto Weight:

7,800 grams / 17.2 lbs



HT 9062T

Trolley!

Outer Dimensions:

650 x 515 x 315 mm
25.6" x 20.3" x 12.4"

Interior Dimensions:

569 x 439 x 270 mm
22.4" x 17.3" x 10.6"

Netto Weight:

6,560 grams / 14.4 lbs



HT 9072T

Trolley!

Outer Dimensions:

720 x 470 x 260 mm
28.3" x 18.5" x 10.2"

Interior Dimensions:

680 x 430 x 220 mm
26.8" x 16.9" x 8.7"

Netto Weight:

8,800 grams / 19.4 lbs



HT 9065

Outer Dimensions:

670 x 500 x 210 mm
26.4" x 19.7" x 8.3"

Interior Dimensions:

590 x 420 x 180 mm
23.2" x 16.5" x 7.1"

Netto Weight:

5,580 grams / 12.3 lbs



HT 9065T

Trolley!

Outer Dimensions:

670 x 500 x 225 mm
26.4" x 19.7" x 8.9"

Interior Dimensions:

590 x 420 x 180 mm
23.2" x 16.5" x 7.1"

Netto Weight:

6,580 grams / 14.5 lbs



HT 9082T

Trolley!

Outer Dimensions:

850 x 590 x 255 mm
33.5" x 23.2" x 10.0"

Interior Dimensions:

760 x 480 x 190 mm
29.9" x 18.9" x 7.5"

Netto Weight:

11.8 kg / 26.0 lbs



HT 9083T

Trolley!

Outer Dimensions:

850 x 590 x 375 mm
33.5" x 23.2" x 14.8"

Interior Dimensions:

760 x 480 x 350 mm
30" x 18.9" x 13.8"

Netto Weight:

13.2 kg / 29.1 lbs




waterproof cases. heavy duty / features



Safety Clip



Waterproof



Purge Valve



Padlockable



Shoulder Strap

HENGTIME Heavy Duty Waterproof Cases are designed to last.

Materials are PPCP, ABS or PC/ABS blend.

ALL materials are RoHS 3 (EU Directive 2015/863), REACH (EC No 1907/2006), and California Proposition 65 compliant.

waterproof cases. heavy duty / individualizing & branding

HENGTIME heavy duty waterproof boxes are ideal for branding with your logo or product information.

All cases feature areas for sticker or domed sticker.

Match the case color to your brand or product colors!

All colors possible according to Pantone, HKS, or RAL color codes.



See more about case individualization, colors, and branding on page 55.

Minimum quantities required. Contact us for further details.

waterproof cases. heavy duty / case interior solutions

A perfect **HENGTIME** case interior completes every case.

HENGTIME case interiors provide...

- ... many technically different interior solutions covering almost all thinkable project and operational requirements.
- ... functional, ergonomic, beautifully arranged, and compact accommodation of your items within the case.
- ... absolutely perfect item protection.
- ... recognizable and increased functionality with additional color accents, sticker or laser markings.
- ... case interior design service
- ... assembly support with pre-installed power or data cable trunks.

See more about case interior options on page 59.

Minimum quantities required. Contact us for further details.



HT 9090T

Trolley!

Material: ABS

Outer Dimensions:

1,127 x 406 x 155 mm
44.4" x 16" x 6.1"

Interior Dimensions:

1,060 x 340 x 130 mm
41.7" x 13.4" x 5.1"

Netto Weight:

6.75 kg / 14.9 lbs



HT 9294T

Trolley!

Material: PPCP

Outer Dimensions:

1,148 x 388.5 x 175 mm
45.2" x 15.3" x 6.9"

Interior Dimensions:

1,078 x 318.5 x 145 mm
42.4" x 12.5" x 5.7"

Netto Weight:

7.28 kg / 16.0 lbs



HT 9295T

Trolley!

Material: PPCP

Outer Dimensions:

1,148 x 388.5 x 230 mm
45.2" x 15.3" x 9.1"

Interior Dimensions:

1,078 x 318.5 x 205 mm
42.4" x 12.5" x 8.1"

Netto Weight:

8.53 kg / 18.8 lbs



HT 9292T

Trolley!

Material: PPCP

Outer Dimensions:

1,170 x 510 x 200 mm
46.1" x 20.1" x 7.9"

Interior Dimensions:

1,120 x 450 x 180 mm
44.1" x 17.7" x 7.1"

Netto Weight:

10.5 kg / 23.1 lbs



HT 9291T

Trolley!

Material: PPCP

Outer Dimensions:
1,127 x 406 x 155 mm
44.4" x 16" x 6.1"

Interior Dimensions:
1,060 x 340 x 130 mm
41.7" x 13.4" x 5.1"

Netto Weight:
6.75 kg / 14.9 lbs



HT 9095T

Trolley!

Material: ABS

Outer Dimensions:
1,347 x 406 x 155 mm
53" x 16" x 6.1"

Interior Dimensions:
1,280 x 340 x 130 mm
50.4" x 13.4" x 5.1"

Netto Weight:
8.96 kg / 19.7 lbs



HT 9296T

Trolley!

Material: PPCP

Outer Dimensions:
1,425 x 515 x 205 mm
56.1" x 20.3" x 8.1"

Interior Dimensions:
1,362 x 470 x 180 mm
53.6" x 18.5" x 7.1"

Netto Weight:
12,03 kg / 26.5 lbs



HT 9297T

Trolley!

Material: PPCP

Outer Dimensions:
1,612 x 515 x 220 mm
63.5" x 20.3" x 8.7"

Interior Dimensions:
1,543 x 470 x 195 mm
60.7" x 18.5" x 7.7"

Netto Weight:
14.49 kg / 32.0 lbs



Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Trolley	Page
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)		
HT 9010	ABS	210	166	90	8.3"	6.5"	3.5"	188	124	75	7.4"	4.9"	3.0"	600 g	1.3 lb	No	23
HT 9011	ABS	225	180	85	8.9"	7.1"	3.3"	205	145	79	8.1"	5.7"	3.1"	400 g	0.9 lb	No	23
HT 9012	PPCP	240	200	110	9.4"	7.9"	4.3"	220	145	95	8.7"	5.7"	3.7"	710 g	1.6 lb	No	23
HT 9013	ABS	270	155	215	10.6"	6.1"	8.5"	227	80	200	8.9"	3.2"	7.9"	1,220 g	2.7 lbs	No	24
HT 9013B	ABS	270	155	260	10.6"	6.1"	10.2"	227	80	200	8.9"	3.2"	7.9"	1,370 g	3.0 lbs	No	24
HT 9213	PPCP	275	235	166	10.8"	9.3"	6.5"	251	180	155	9.9"	7.1"	6.1"	1,030 g	2.3 lbs	No	24
HT 9015	ABS	276	228	99	10.9"	9.0"	3.9"	253	183	84	10.0"	7.2"	3.3"	900 g	2.0 lbs	No	24
HT 9016	ABS	277	227	153	10.9"	8.9"	6.0"	253	183	138	10.0"	7.2"	5.4"	1,150 g	2.5 lbs	No	25
HT 9216	PPCP	295	205	91	11.6"	8.1"	3.6"	270	160	80	10.6"	6.3"	3.1"	750 g	1.7 lbs	No	25
HT 9018	ABS	320	265	95	12.6"	10.4"	3.7"	290	216	80	11.4"	8.5"	3.1"	1,080 g	2.4 lbs	No	25
HT 9019	ABS	320	265	182	12.6"	10.4"	7.2"	290	216	165	11.4"	8.5"	6.5"	1,445 g	3.2 lbs	No	25
HT 9020	ABS	325	225	165	12.8"	8.9"	6.5"	300	180	153	11.8"	7.0"	6.0"	1,310 g	3.0 lbs	No	26
HT 9021	PPCP	335	260	125	13.2"	10.2"	4.9"	300	200	120	11.8"	7.9"	4.7"	1,600 g	3.5 lbs	No	26
HT 9021B	PPCP	335	260	220	13.2"	10.2"	8.7"	300	200	200	11.8"	7.9"	7.9"	1,710 g	3.8 lbs	No	26
HT 9022	PPCP	332	280	130	13.1"	11.0"	5.1"	300	223	110	11.8"	8.8"	4.3"	1,390 g	3.1 lbs	No	26
HT 9023	ABS	340	315	120	13.4"	12.4"	4.7"	308	257	105	12.1"	10.1"	4.1"	1,740 g	3.8 lbs	No	27
HT 9023B	ABS	340	315	160	13.4"	12.4"	6.3"	308	257	145	12.1"	10.1"	5.7"	1,970 g	4.3 lbs	No	27
HT 9032	ABS	350	330	200	13.8"	13.0"	7.9"	311	235	185	12.2"	9.3"	7.3"	1,800 g	4.0 lbs	No	27
HT 9024	ABS	342	211	258	13.5"	8.3"	10.2"	320	192	240	12.6"	7.6"	9.4"	1,660 g	3.7 lbs	No	28
HT 9024B	ABS	342	211	290	13.5"	8.3"	11.4"	320	192	240	12.6"	7.6"	9.4"	1,730 g	3.8 lbs	No	28
HT 9030	ABS	350	280	200	13.8"	11.0"	7.9"	330	215	175	13.0"	8.5"	6.9"	1,700 g	3.7 lbs	No	28
HT 9030B	ABS	350	280	125	13.8"	11.0"	4.9"	330	215	100	13.0"	8.5"	3.9"	1,400 g	3.1 lbs	No	28
HT 9033	ABS / PPCP	371	269	146	14.6"	10.6"	5.7"	330	210	135	13.0"	8.3"	5.3"	1,400 g	3.1 lbs	No	29
HT 9033B	ABS / PPCP	371	269	186	14.6"	10.6"	7.3"	330	210	175	13.0"	8.3"	6.9"	1,800 g	4.0 lbs	No	29
HT 9034	ABS	372	267	105	14.6"	10.5"	4.1"	335	206	95	13.2"	8.1"	3.7"	1,750 g	3.9 lbs	No	29
HT 9031	ABS	365	270	169	14.4"	10.6"	6.7"	337	212	156	13.3"	8.4"	6.1"	1,600 g	3.5 lbs	No	29
HT 9035	ABS	387	289	104	15.2"	11.4"	4.1"	355	234	93	14.0"	9.7"	3.7"	1,500 g	3.3 lbs	No	30
HT 9235	PPCP	385	358	140	15.2"	14.1"	5.5"	350	300	130	13.8"	11.8"	5.1"	1,900 g	4.2 lbs	No	30
HT 9038	ABS	390	290	202	15.4"	11.4"	8.0"	366	246	185	14.4"	9.7"	7.3"	1,790 g	4.0 lbs	No	30
HT 9039	ABS	405	318	215	15.9"	12.5"	8.5"	367	256	195	14.4"	10.1"	7.7"	2,500 g	5.5 lbs	No	30
HT 9037	ABS	405	365	135	15.9"	14.4"	5.3"	376	307	110	14.8"	12.1"	4.3"	2,100 g	4.6 lbs	No	31
HT 9037B	ABS	405	365	200	15.9"	14.4"	7.9"	376	307	185	14.8"	12.1"	7.3"	2,500 g	5.5 lbs	No	31
HT 9237	ABS / PPCP	400	285	120	15.7"	11.2"	4.7"	370	240	110	14.6"	9.5"	4.3"	1,400 g	3.1 lbs	No	31
HT 9042	ABS / PPCP	415	340	144	16.3"	13.4"	5.7"	380	280	130	15.0"	11.0"	5.1"	2,300 g	5.1 lbs	No	32
HT 9042B	ABS / PPCP	415	340	174	16.3"	13.4"	6.9"	380	280	165	15.0"	11.0"	6.5"	2,600 g	5.7 lbs	No	32
HT 9041	ABS	415	319	168	16.3"	12.6"	6.6"	387	267	154	15.2"	10.5"	6.1"	2,000 g	4.4 lbs	No	32
HT 9043	ABS	456	355	133	18.0"	14.0"	5.2"	415	290	120	16.3"	11.4"	4.7"	2,600 g	5.7 lbs	No	32
HT 9045	ABS	456	372	185	18.0"	14.6"	7.3"	421	303	171	16.6"	11.9"	6.7"	3,000 g	6.6 lbs	No	33
HT 9045T	ABS	456	372	205	18.0"	14.6"	8.1"	421	303	171	16.6"	11.9"	6.7"	4,000 g	8.8 lbs	Yes	33

Item No.	Material	Outer Size / mm			Outer Size / inch			Inner Size / mm			Inner Size / inch			Weight	Weight	Trolley	Page
		l	w	h	l	w	h	l	w	h	l	w	h	(grams)	(lbs)		
HT 9047	ABS	455	370	315	17.9"	14.6"	12.4"	420	303	296	16.5"	11.9"	11.7"	4,000 g	8.8 lbs	No	33
HT 9040	ABS	455	340	170	17.9"	13.9"	6.7"	430	290	163	16.9"	11.4"	6.4"	2,365 g	5.2 lbs	No	33
HT 9046	ABS	472	405	210	18.6"	16.0"	8.3"	436	333	180	17.1"	13.1"	7.1"	3,221 g	7.1 lbs	No	34
HT 9049	PPCP	475	345	130	18.7"	13.6"	5.1"	440	290	120	17.3"	11.4"	4.7"	2,430 g	5.4 lbs	No	34
HT 9049B	PPCP	475	345	193	18.7"	13.6"	7.6"	440	290	185	17.3"	11.4"	7.3"	2,360 g	5.2 lbs	No	34
HT 9044	PPCP	480	375	170	18.9"	14.8"	6.7"	440	320	155	17.3"	12.6"	6.1"	2,380 g	5.2 lbs	No	34
HT 9048	ABS	490	400	190	19.3"	15.8"	7.5"	454	325	170	17.9"	12.8"	6.7"	3,300 g	7.3 lbs	No	35
HT 9248	PPCP	490	395	215	19.3"	15.6"	8.5"	465	335	200	18.3"	13.2"	7.9"	3,700 g	8.1 lbs	No	35
HT 9151	PPCP	521	421	140	20.5"	16.6"	5.5"	460	360	130	18.0"	14.2"	5.1"	3,020 g	6.7 lbs	No	35
HT 9151B	PPCP	521	421	190	20.5"	16.6"	7.5"	460	360	180	18.0"	14.2"	7.1"	3,350 g	7.4 lbs	No	35
HT 9052	ABS	516	435	199	20.3"	17.1"	7.8"	478	357	176	18.8"	14.0"	6.9"	4,600 g	10.1 lbs	No	36
HT 9052T	ABS	516	435	215	20.3"	17.1"	8.5"	478	357	176	18.8"	14.0"	6.9"	5,600 g	12.3 lbs	Yes	36
HT 9055	ABS	550	440	210	21.7"	17.3"	8.3"	505	355	180	19.9"	14.0"	7.1"	4,920 g	10.9 lbs	No	36
HT 9055T	ABS	550	440	335	21.7"	17.3"	13.2"	505	355	280	19.9"	14.0"	11.0"	7,300 g	16.1 lbs	Yes	36
HT 9053	ABS / PPCP	560	456	185	22.0"	18.0"	7.3"	500	400	165	19.7"	15.7"	6.5"	4,000 g	8.8 lbs	No	37
HT 9053B	ABS / PPCP	560	456	220	22.0"	18.0"	8.7"	500	400	210	19.7"	15.7"	8.3"	4,250 g	9.4 lbs	No	37
HT 9054	PPCP	560	350	180	22.0"	13.8"	7.1"	510	290	165	20.1"	11.4"	6.5"	3,300 g	7.3 lbs	No	37
HT 9054T	PPCP	560	350	235	22.0"	13.8"	9.3"	510	290	190	20.1"	11.4"	7.5"	6,120 g	13.5 lbs	No	37
HT 9056	ABS	559	356	229	22.0"	14.2"	9.0"	510	315	215	20.0"	12.4"	8.5"	5,100 g	11.2 lbs	No	38
HT 9056T	ABS	559	356	229	22.0"	14.2"	9.0"	510	315	215	20.0"	12.4"	8.5"	6,100 g	13.4 lbs	Yes	38
HT 9257	PPCP	575	421	207	22.6"	16.6"	8.1"	515	360	165	20.3"	14.2"	6.5"	3,850 g	8.5 lbs	No	38
HT 9257T	PPCP	575	421	287	22.6"	16.6"	11.3"	515	360	245	20.3"	14.2"	9.6"	6,820 g	14.9 lbs	Yes	38
HT 9061	PPCP	550	550	360	21.7"	21.7"	14.2"	490	490	345	19.3"	19.3"	13.6"	5,550 g	12.2 lbs	No	39
HT 9061T	PPCP	550	550	390	21.7"	21.7"	15.4"	490	490	345	19.3"	19.3"	13.6"	7,800 g	17.2 lbs	Yes	39
HT 9062T	ABS	650	515	315	25.6"	20.3"	12.4"	569	439	270	22.4"	17.3"	10.6"	6,560 g	14.5 lbs	Yes	39
HT 9065	ABS	670	500	210	26.4"	19.7"	8.3"	590	420	180	23.2"	16.5"	7.1"	5,580 g	12.3 lbs	No	40
HT 9065T	ABS	670	500	225	26.4"	19.7"	8.9"	590	420	180	23.2"	16.5"	7.1"	6,580 g	14.5 lbs	Yes	40
HT 9072T	ABS	720	470	260	28.3"	18.5"	10.2"	680	430	220	26.8"	16.9"	8.7"	8,800 g	19.4 lbs	Yes	40
HT 9082T	ABS	850	590	255	33.5"	23.2"	10.0"	760	480	190	29.9"	18.9"	7.5"	11,800 g	26.0 lbs	Yes	40
HT 9083T	ABS	850	590	375	33.5"	23.2"	14.8"	760	480	350	30.0"	18.9"	13.8"	13,200 g	29.1 lbs	Yes	40
HT 9090T	ABS	1127	406	155	44.4"	16.0"	6.1"	1060	340	130	41.7"	13.4"	5.1"	6,750 g	14.9 lbs	Yes	42
HT 9294T	PPCP	1148	388.5	175	45.2"	15.3"	6.9"	1078	318.5	145	42.4"	12.5"	5.7"	7,280 g	16.0 lbs	Yes	42
HT 9295T	PPCP	1148	388.5	230	45.2"	15.3"	9.1"	1078	318.5	205	42.4"	12.5"	8.1"	8,530 g	18.8 lbs	Yes	42
HT 9092T	PPCP	1148	443	180	45.2"	17.5"	7.1"	1080	390	150	42.5"	15.4"	5.9"	5,830 g	12.8 lbs	Yes	42
HT 9291T	PPCP	1170	510	200	46.1"	20.1"	7.9"	1120	450	180	44.0"	17.7"	7.1"	8,620 g	19.0 lbs	Yes	43
HT 9095T	ABS	1347	406	155	53.0"	16.0"	6.1"	1280	340	130	50.4"	13.4"	5.1"	8,960 g	19.8 lbs	Yes	43
HT 9296T	PPCP	1425	515	205	56.1"	20.3"	8.1"	1362	470	180	53.6"	18.5"	7.1"	12,030 g	26.5 lbs	Yes	43
HT 9297T	PPCP	1612	515	220	63.5"	20.3"	8.7"	1543	470	195	60.7"	18.5"	7.7"	14,490 g	32.0 lbs	Yes	43

HT 501 / HT 510

Outer Dimensions:
132 x 98 x 41 mm
5.2" x 3.9" x 1.6"

Interior Dimensions:
104 x 67 x 32 mm
4.1" x 2.6" x 1.3"

Netto Weight:
180 grams / 0.4 lb
Material:
PC / ABS + 5% GF



HT 505 / HT 550

Outer Dimensions:
161 x 95 x 34 mm
6.3" x 3.7" x 1.3"

Interior Dimensions:
135 x 70 x 26 mm
5.3" x 2.8" x 1.0"

Netto Weight:
180 grams / 0.4 lb
Material:
PC / ABS + 5% GF



HT 507 / HT 570

Outer Dimensions:
173 x 106 x 32 mm
6.8" x 4.2" x 1.3"

Interior Dimensions:
148 x 80 x 27 mm
5.8" x 3.2" x 1.1"

Netto Weight:
135 grams / 0.3 lb
Material:
PC / ABS + 5% GF



HT 601 / HT 610

Outer Dimensions:
182 x 120 x 42 mm
7.2" x 4.7" x 1.7"

Interior Dimensions:
158 x 90 x 32 mm
6.2" x 3.5" x 1.3"

Netto Weight:
230 grams / 0.5 lb
Material:
PC / ABS + 5% GF



HT 602 / HT 620

Outer Dimensions:
182 x 120 x 75 mm
7.2" x 4.7" x 3.0"

Interior Dimensions:
158 x 90 x 68 mm
6.2" x 3.5" x 2.7"

Netto Weight:
300 grams / 0.66 lb
Material:
PC / ABS + 5% GF



HT 603 / HT 630

Outer Dimensions:
185 x 116 x 32 mm
7.3" x 4.6" x 1.3"

Interior Dimensions:
159 x 85 x 26 mm
6.3" x 3.4" x 1.0"

Netto Weight:
170 grams / 0.37 lb
Material:
PC / ABS + 5% GF



HT 621

Outer Dimensions:
187 x 120 x 45 mm
7.4" x 4.7" x 1.8"

Interior Dimensions:
160 x 90 x 40 mm
6.3" x 3.5" x 1.6"

Netto Weight:
290 grams / 0.6 lb
Material:
PC / ABS + 5% GF



HT 622

Outer Dimensions:
187 x 120 x 90 mm
7.4" x 4.7" x 3.5"

Interior Dimensions:
160 x 90 x 70 mm
6.3" x 3.5" x 2.8"

Netto Weight:
360 grams / 0.8 lb
Material:
PC / ABS + 5% GF



HT 701 / HT 710

Outer Dimensions:
224 x 130 x 46 mm
8.8" x 5.1" x 1.8"

Interior Dimensions:
200 x 100 x 34 mm
7.9" x 3.9" x 1.3"

Netto Weight:
300 grams / 0.66 lb
Material:
PC / ABS + 5% GF



HT 701-1 / HT 710-1

Outer Dimensions:
224 x 130 x 46 mm
8.8" x 5.1" x 1.8"

Interior Dimensions:
200 x 100 x 34 mm
7.9" x 3.9" x 1.3"

Netto Weight:
235 grams / 0.5 lb
Material:
PC / ABS + 5% GF



HT 702 / HT 720

Outer Dimensions:
224 x 130 x 70 mm
8.8" x 5.1" x 2.8"

Interior Dimensions:
200 x 100 x 60 mm
7.9" x 3.9" x 2.4"

Netto Weight:
362 grams / 0.8 lb
Material:
PC / ABS + 5% GF



HT 703 / HT 730

Outer Dimensions:
224 x 130 x 88 mm
8.8" x 5.1" x 3.6"

Interior Dimensions:
200 x 100 x 83 mm
7.9" x 3.9" x 3.3"

Netto Weight:
425 grams / 0.9 lb
Material:
PC / ABS + 5% GF



HT 732

Outer Dimensions:
235 x 130 x 95 mm
9.3" x 5.1" x 3.7"

Interior Dimensions:
203 x 98 x 88 mm
8.0" x 3.9" x 3.5"

Netto Weight:
470 grams / 1 lb
Material:
ABS + 5% GF



HT 901

Outer Dimensions:
190 x 128 x 79 mm
7.5" x 5" x 3.1"

Interior Dimensions:
160 x 93 x 70 mm
6.3" x 3.7" x 2.8"

Netto Weight:
300 grams / 0.66 lb
Material:
ABS + 5% GF



Phone Protector Inserts

Replace the standard silicone gasket with our Phone Protector Inserts
Add extra protection for mobile and tablet PCs. Available for certain models.
Material: Food safe silicone, standard color: Black, all Pantone colors possible

HT 55PT (matches HT505 / HT550)

Interior Dimensions: 125 x 60 x 19 mm
4.9" x 2.4" x 0.8"

Additional Weight: 31 grams / 1.1 oz

Material: food-grade Silicone



HT 57PT (matches HT507 / HT570)

Interior Dimensions: 140 x 70 x 20 mm
5.5" x 2.8" x 0.8"

Additional Weight: 38 grams / 1.3 oz

Material: food-grade Silicone



HT 63PT (matches HT603 / HT630)

Interior Dimensions: 150 x 80 x 18 mm
5.9" x 3.2" x 0.7"

Additional Weight: 44 grams / 1.6 oz

Material: food-grade Silicone




HT 71PT (matches HT701-1 / HT710-1)

Interior Dimensions: 190 x 90 x 25 mm
7.5" x 3.5" x 1.0"

Additional Weight: 64 grams / 2.3 oz

Material: food-grade Silicone



All models



All models



All models



Optional



Optional



Optional



All models

Item No.	Material	Outer Size (mm)	Inner Size (mm)	Weight	Colors
HT 501	ABS+5%GF	132 x 98 x 41	104 x 67 x 32	180g	B, Y, BL, CL
HT 510	PC/ ABS+5%GF	132 x 98 x 41	104 x 67 x 32	180g	Lid: CL / Bottom: B, Y, BL, CL
HT 505	ABS+5%GF	161 x 95 x 34	135 x 70 x 26	180g	B, Y, BL, CL
HT 550	PC/ ABS+5%GF	161 x 95 x 34	135 x 70 x 26	180g	Lid: CL / Bottom: B, Y, BL, CL
HT 507	ABS+5%GF	173 x 106 x 32	148 x 80 x 27	135g	B, Y, BL, CL
HT 570	PC/ ABS+5%GF	173 x 106 x 32	148 x 80 x 27	135g	Lid: CL / Bottom: B, Y, BL, CL
HT 601	ABS+5%GF	182 x 120 x 42	158 x 90 x 32	230g	B, Y, BL, CL
HT 610	PC/ ABS+5%GF	182 x 120 x 42	158 x 90 x 32	230g	Lid: CL / Bottom: B, Y, BL, CL
HT 602	ABS+5%GF	182 x 120 x 75	158 x 90 x 68	300g	B, Y, BL, CL
HT 620	PC/ ABS+5%GF	182 x 120 x 75	158 x 90 x 68	300g	Lid: CL / Bottom: B, Y, BL, CL
HT 621	ABS+5%GF	187 x 120 x 45	160 x 90 x 40	290g	B, Y, BL, CL
HT 622	PC/ ABS+5%GF	187 x 120 x 90	160 x 90 x 70	360g	Lid: CL / Bottom: B, Y, BL
HT 901	PC/ ABS+5%GF	190 x 128 x 79	160 x 93 x 70	300g	B, Y, BL, CL
HT 701	ABS+5%GF	224 x 130 x 46	200 x 100 x 34	300g	B, Y, BL, CL
HT 710	PC/ ABS+5%GF	224 x 130 x 46	200 x 100 x 34	300g	Lid: CL / Bottom: B, Y, BL
HT 701-1	ABS+5%GF	224 x 130 x 46	200 x 100 x 34	300g	B, Y, BL, CL
HT 710-1	PC/ ABS+5%GF	224 x 130 x 46	200 x 100 x 34	300g	Lid: CL / Bottom: B, Y, BL
HT 702	ABS+5%GF	224 x 130 x 70	200 x 100 x 60	362g	B, Y, BL, CL
HT 720	PC/ ABS+5%GF	224 x 130 x 70	200 x 100 x 60	362g	Lid: CL / Bottom: B, Y, BL
HT 703	ABS+5%GF	224 x 130 x 88	200 x 100 x 83	425g	B, Y, BL, CL
HT 730	PC/ ABS+5%GF	224 x 130 x 88	200 x 100 x 83	425g	Lid: CL / Bottom: B, Y, BL
HT 732	PC/ ABS+5%GF	235 x 130 x 95	203 x 98 x 88	470g	Lid: CL / Bottom: B, Y, BL

Colors: B = black, Y= yellow, BL= blue, CL= clear (PC)


MAKE IT UNIQUE !

Our packing solutions are already very individual. Colors or color combinations, printing and branding and last but not least the individual interior design let your casing look and feel different and distinguished.

But there are situations when standard cases are not enough.

You might want a different look, a different case size or certain case properties which would make your application perfect?

The **HENGTIME** engineering department develops an ultimately individualized casing solution with you. Carrying cases, waterproof cases, storage boxes or just a new packing for your products. Besides, we are developing and producing a wide range of special plastic parts from tiny to huge sizes for our customers.



Get your case ready with us - Contact us today!

HOW TO DO IT?

TIME FRAME

Design	We develop the design together with our customer or work with delivered CAD drawings. Newest sophisticated CAD and simulation software allow photorealistic modeling of the future product and even testing the design and toolings. This saves time and money.
Prototyping	As soon as the design is determined and approved, we produce prototypes to test look, feel and practicability of the new model. If changes are necessary it can be done now. Prototyping is a very fast process, and can be done within one week.
Tooling production and testing	The next step is the production and testing of the injection tooling. This takes about 4-6 weeks.
Test production	A test series of the "real" product is launched and samples are sent to the customer for approval.
Bulk production	After approval of the test series the main production can start.



The **HENGTIME** team looks forward to sharing our expertise with you!

ARE CUSTOM MADE CASES / PARTS NOT VERY EXPENSIVE?

ADDITIONAL COSTS FOR CUSTOM MADE CASES

constit mainly of the tooling costs for the injection mold and depend on the size of the case or parts and the complexity of the design.

Design and all development side costs are included.

You pay for the mold and design and own the tooling.
You own the intellectual property rights of the case / part.

Let us calculate the costs and timeline individually for you.

Especially if medium and higher quantities are projected on the long run,
it is reasonable to open a new model.

The costs per unit are often surprisingly low.




Get your case ready with us - Contact us today!


STREAMLINED AND PRECISE !

From 3D drawings to the final product:

3D design




Injection Molding



Finished product



3D design




Prototype



Finished product



3D design



Prototype



Finished product



BEYOND CASES

Since we gained a lot of experience in plastic production, we offer also design, prototyping and production of any plastic injection molded part.

Dedicated design teams help you to make your ideas become reality - or we can work from your 2D or 3D drawings.


We are able to produce complex parts, multi-injection or overmolding, in-mold-labeling (IML), and more.

Tiny or huge parts are no problem with Injection molding machines up to 3,500 tons.

HENGTIME engineering offers a one-stop solution from product development, design and prototyping to production and logistics.

Get in touch and see what we can do for you!

Get your plastic parts ready with us - Contact us today!



injection tool production service.

PLASTIC INJECTION TOOLS

Tool production is an essential part of custom case or part design and production.

If you prefer to produce plastic parts with your own machines and only need the tooling, we are your partner for tool production:

- excellent quality
- short and flexible time frames
- very competitive prices

12 production stations allow to work simultaneously on many parts for your products at a time. No capacity bottleneck with unpredictable delays.

Simply get in touch.

The **HENGTIME** engineering department will get you a competitive quote in no time.

Get your tools ready with us - Contact us today!



INJECTION MOLDED POLYMERS

HENGTIME plastic cases and parts, foam interiors, and accessories are made of modern state-of-the-art materials delivered by industry-leading raw material suppliers.

Strict technical requirements on the raw products and constant quality control in all stages of the production process are essential to maintain our high quality level. From the raw material to the final product we respect environmental considerations. Consequently all our products are certified according to REACH, RoHS3 and other standards.

We are committed to reducing our environmental footprint also with respect to our choices of raw materials.

Accordingly all products are environment-friendly recyclable. See more on **Page 65**.

The overwhelming majority of projects, applications, and environments of operation are covered by our wide range of standard engineering materials. Additionally we operate a vast range of special materials with extreme properties, like for example very low or very high operating temperature rating, flame retardend, anti static, electrically conducting, high impact resistant, thermo-set, closed-cell foams, and more.

Please get in touch with our engineering team for further information, if you are looking for products made of speciality materials.

Material	Operating temperature range)*		Application							Recycling
Plastic Polymer Materials										
PP (Polypropylene)	-20 °C / +70 °C	- 5 °F / +160 °F	Cases, Parts							
PPCP (Polypropylene co-polymer)	-40 °C / +80 °C	-40 °F / +175 °F	Cases, Parts							
PC (Polycarbonate)	-40 °C / +125 °C	-40 °F / +260 °F	Cases, Parts							
PC, high-heat (Polycarbonate, high-heat)	-40 °C / +140 °C	-40 °F / +285 °F	Cases, Parts							
ABS (Acrylonitrile butadiene styrene)	-20 °C / +90 °C	- 5 °F / +195 °F	Cases, Parts							
PC-ABS blend (“plastic metal”)	-30 °C / +110 °C	-20 °F / +230 °F	Cases, Parts							
ABS + GF (Glass fibre reinforced ABS resin)	-20 °C / +90 °C	- 5 °F / +195 °F	Cases, Parts							
PC + GF (Glass fibre reinforced PC)	-40 °C / +125 °C	-40 °F / +260 °F	Cases, Parts							
PS (Polystyrene)	-25 °C / +80 °C	-15 °F / +175 °F	Blister, Container, Parts							
Foam Materials										
PE foam (Polyethylene)	-55 °C / +120 °C	-70 °F / +250 °F	Wide Range							
EVA foam (Ethylene-vinyl acetate)	-50 °C / +150 °C	-60 °F / +300 °F	High Protection							
PU foam (Polyurethane)	-65 °C / +95 °C	-80 °F / +200 °F	Soft Sponge							
EPE foam (Expanded Polyethylene)	-40 °C / +80 °C	-40 °F / +175 °F	Molded Foams							
EPP foam (Expanded Polypropylene)	-40 °C / +80 °C	-40 °F / +175 °F	Packing, Protection							
EPS foam (Expanded Polystyrene)	-25 °C / +80 °C	-15 °F / +175 °F	Packing, Protection							

)*
Minimum: Middle of Ductile / Brittle Transition Temperature
Maximum: Maximum Continuous Service Temperature value

FOAM MATERIALS

... come in a huge variety of forms and properties, and are certainly the most commonly used solution for *HENGTIME* case interiors, as well as foam-only products.

There are a few factors to consider when it comes to foam design with the goal to fulfil all requirements of your specific project:

- Items to be accommodated: Shape, size, weight
- Foam function: Protection, display, cover, after-sales customizability, etc.
- Protection level: Items sensitivity, handling and operation.
- Use and operation of items: Items placement follows ergonomics, logic, and well organized look.
- Operational Environment: Very high or low temperatures?, wet environment?, electrostatic challenges?
- Look: Foam surface, colored foam, print on foam, laser-debossing for text or graphics, sticker etc.
- Stacked layer design: Combination of different materials or colors, removable elements or foam screws to access items, etc.
- Budget

IDEAL FOAM MATERIAL + CLEVER INTERIOR DESIGN = PERFECT LOOK & PROTECTION

The *HENGTIME* custom foam department shares their expertise in materials and design with you to create the perfect protection for your equipment and products, the best look - affordable and cost effective interiors and fast, flexible, and skilled services. Like all raw materials we use, the foams are safe and certified according to REACH, RoHS3 and other standards and recyclable.

EXAMPLES OF TYPICAL FOAM MATERIALS:



INDIVIDUAL, UNIQUE, AND RECOGNIZABLE

Individualize your **HENGTIME** plastic cases and plastic products according to your application, product, or brand.

All cases are fit for customizing in accord with your branding:

CASE OR PART COLOR

All colors are possible according to Pantone Color Code, and transparent shades.

COLOR COMBINATIONS

It is possible to combine for example top part, bottom part, handle or locks in different colors.

PRINTING

All cases come with designated printable areas.

There is a range of suitable printing technologies available, monochrome to multi-color or even metallic effects, and spot gloss. Your personal **HENGTIME** project manager and our dedicated graphics team will support you for crisp and beautiful results.

STICKER / DOME STICKER

Sticker provide flexible and cost efficient solutions.

There are lots of different materials and adhesives available and we will help you sort through the options.

We at **HENGTIME** know what substrates work best and give your brand the best look.

All printing tech and equipment we use is suited for outdoor use.

The inks do not fade or scratch off after exposure to sun, wind, or rain.

LASER MARKING

Laser marking is the most flexible way of marking plastics and yields crisp and permanent images, text or geometries in a fully computer-controlled process with high precision and reliability.

This high-tech method works on almost all polymers and dense foam materials exceptionally well.

DISPLAY PACKAGING

We design and produce individual packaging and display solutions.

For example blister card or clamshell packaging packs with set cards and hang holes, or packaging sleeves with or without additional individual cardboard cartons for your case or part.

RESPONSIBLE AND ENVIRONMENTALLY FRIENDLY PRINTING

All raw materials are safe and certified according to REACH, RoHS3 and other standards.

HENGTIME recommends whenever possible eco-friendly materials and technologies for product branding.

We endorse sustainable printing and packaging solutions, recycling, low energy printing, carbon balancing, and recommend using FSC® certified materials.

Your personal **HENGTIME** project manager and our dedicated graphics team will help you to get great printing and packaging results with smallest environmental footprints - but affordable.

**Get more information about *HENGTIME*
Branding, Printing, and Individualization Services**

Contact us today!

GO FOR COLOR!

Our *HENGTIME* creative labs team designs your unique color combination of customized cases and clips - even foam interiors in color are possible.

Matching colors to your corporate identity, logo or product line are no problem. We can produce in any color according to Pantone Color Codes.

Minimum quantities required.

Contact us for further details.



Carrying cases in some different colors



Case and locks in contrasting colors



Click locks and Flip locks color examples

PERSONALIZE YOUR CASE RECOGNIZABLY!

HENGTIME printing services individualize your cases further:

- prints on cases or part faces with options of many different printing technologies.
- sticker or dome sticker for logos, branding, marking, etc.
- accessory print products, like cards, booklets, manuals, etc.
- display and retail packaging, like cartons, sleeves, card blister, etc.
- any other print products.

Show your company's logo or product branding on your case or product for higher brand exposure and customer retention.

Simply send us your artwork and let our creative team of experienced graphic designers work with you to send out your message in the most effective way.

Minimum quantities required.

Contact us for further details.

SURFACE PRINTING

Printing of your branding, logo or product information **directly** on **HENGTIME** plastic cases and plastic products is a great option.

There are some factors and dependencies to consider to make the right decisions for a great result.

WHICH PRINT TECHNOLOGY IS THE BEST FOR MY PROJECT?

All print technologies have strong and weak sides. Your **HENGTIME** project manager will discuss options, costs and production requirements for your priorities. We want that the print results are crisp, durable and brilliant to ensure customer satisfaction.

PRINT DESIGN / LAYOUT

Print dimensions are limited to dedicated printable surfaces which any case or part features. Minimum detail size and max. number of colors depend on the printing technology.

PRINT DURABILITY / CASE MATERIALS

Not every print technology works perfectly on any material. Certain combinations offer the best durability.

SO MANY OPTIONS! HOW TO DO?

Your **HENGTIME** project manager will guide you to a smooth decision process, provides you with information files for your designers, or our graphics team comes up with great printable design modifications.



Silkscreen print examples

Contact us for further details.

STICKER, LABELS & DOME STICKER

Sticker offer great flexibility, especially if you have a variety of products in identical cases. It is very easy to apply or change sticker and adapt to changing demand for different products. Most cases feature dedicated sticker areas.

Print options are huge and confusing. It all depends...

Your personal project manager will discuss with you advantages, disadvantages, and costs of different options to supply as much information as possible, enabling you to make the right decision for the perfect sticker solution for your case!

We offer free of charge graphic design services for our customers.

We make your design work or come up with fresh new ideas.

SURFACE STICKER FOR CASES

We offer a wide range of sticker materials and print options. Basic to water and scratch proof solutions. UV resistant and bright.

DOME STICKER AND 3D RUBBER STICKER

Especially on our waterproof cases, dome sticker or 3D rubber sticker are exceptionally attractive and recognizable branding and logo displays. Always UV proof and very durable! Also work perfectly on foam interior or on your products.

SMALL ADDITIONAL STICKER

Sort it out and make your inventory easy to maintain up-to-date with additional sticker for batch identification or bar codes.

Contact us for further details.



Big sticker on HT010 case



Dome Sticker on HT9015 case



Dome Sticker on foam



3D Sticker and branding

Background picture: © theinspiredtreehouse.com, check out this great place for kids in Bedford, Ohio, USA

LASER, HIGH TECH FOR YOUR BRANDING!

There are some different laser branding technologies available, with extremely durable, abrasion resistant, and precise results. All kind of content including logos, codes, serial numbers, and more can be used. Smallest components and details can be marked quickly and easily in difficult to access areas. For example many markings on buttons in your car are laser marked. Almost all plastic materials, metal, silicone and certain foams can be laser branded. For marking plastics, laser technologies offer a range of different methods, such as dyeing, carbonation or foaming. Available colors and the result depend on the plastic material marked. Metal can be lasered easily with excellent results. Laser debossing on foam is a very elegant way to show your branding or logo.

Minimum quantities required.

Contact us for further details.



Laser debossing on EVA foam



Laser engraving on ABS part



Laser marking on metal

branding. display & retail packaging

CATCH THE EYE!

The **HENGTIME** graphics team turns your logo, branding and colors into attractive retail packaging ideas. There are many options to make your products not only more visible, but getting them ready for the shop.

We are curious to see your design ideas or we present you with interesting alternatives.

Minimum quantities required.

Contact us for further details.


Here some examples of **HENGTIME** products in retail packaging:



Cardboard sleeve with peg hole



Clamshell blister with card and trap blister packagings



Customized individual retail carton for HT005

CASE INTERIOR SOLUTIONS

Complete your casing project with a bespoke or customizable interior design.

WHICH CASE INTERIOR TECHNOLOGY IS THE BEST FOR MY PROJECT?

The particularities of your project drive the process to determine which case interior technology works best for you.

Many factors should be considered, like case size, size and weight of the parts or items to be accommodated in the case, operational environment, temperature, humidity, work flows, ergonomics, look, costs, and more.

Your personal **HENGTIME** project manager will guide you through this process with information and advice.

We are looking forward to sharing our experience from many successful projects with you and your team.

FOAM INTERIOR SOLUTIONS

With foam interior solutions we can cover most case project requirements. There are many foam materials available, with a wide range of properties. Thinking about a lasting and beautiful case interior, it's always a great idea to look at foam interiors first.

See more on **Page 60**.

BLISTER SOLUTIONS

Smaller case? One layer? Tight budget?

A blister solution can be the right decision. Blister are plastic trays with the desired compartments and shapes, manufactured by thermoforming. This is a manufacturing process where a plastic sheet is heated to a pliable forming temperature, formed to a specific shape in a mold, and then trimmed. Tooling and especially the blister part costs are very affordable, materials used are of course clean and easily recyclable. Naturally blister are not as durable and lasting as high performance foam material solutions.

See more on **Page 61**.

TRAY INTERIOR SOLUTIONS

A great case is always as compact as possible, practical, and functional.

Especially when very different sized items or different functions are combined in the same case,

a tray solution allows stacked placing of items and hereby using the full three dimensionality of a case in a clever way.

It is also possible to design tray systems which can be taken out of the case completely and integrate the operational functionality in a very compact fashion.

For transport, the tray which is often combined with foam, and carrying items and instruments, is returned to the case, stored safely, and ready to go in no time.

For example we have been designing and producing mobile biometric registration and verification cases with tray systems for our international customers for many years with great success.

See more on **Page 61**.

RETAIL CASE OPTIONS

If you are planning to retail cases with customizable foam interior, we are your competent partner with clever ideas for your success.

Complete the case with sets of foam layers or cubed foam. Especially cubed foam ("pick-and-pluck" foam) is easily customized by the end customer and delivers quickly a great look and good item protection.

Your personal **HENGTIME** project manager is happy to advise you on options, costs, and lead times.

Contact us for further details.

FOAM INTERIOR DESIGN

A **HENGTIME** custom foam is the best companion for your items. The bespoke design for orderly and ergonomic accommodation and protection for all kinds of products impress your customers on the first sight. Professional and beautiful. A wide range of available foam materials, different densities, looks, colors, and surfaces for almost unlimited possibilities. There are some design rules to follow for getting it right, but your personal project manager will guide you through the design process and we share all necessary information, guides, and files with you for an absolutely individual and recognizable design. Or we design the interior for you according to your operational requirements and specifications. This **HENGTIME** service is typically free of charge or we charge a reasonable fee, refundable on order of certain quantities.

WHICH FOAM MATERIAL SUITS MY PROJECT AND MY ITEMS BEST?

We share our expertise with you. We want that you are 100% satisfied and get a foam interior exactly how you want it and which is best for your particular project. Compact, durable, and made from modern, clean and environmentally friendly materials.

WHAT IS THE WORK FLOW?

Your **HENGTIME** project manager is the right partner to start with the foam interior design. They will guide you step by step through the process and communicate with you all along the design and sample production stages. In surprisingly short time you have the first sample in your hands and test case and design, items fit, functionality, and look. Not before you approve of all details, we are going to proceed with the production of the requested quantities.

We are waiting for your design challenges, please contact us for further details.

Here some examples of **HENGTIME** cases with individual foam designs:



Egg foam in lid /
EVA foam in the bottom



Sponge foam in lid /
EVA foam in the bottom



Complex EVA foam in lid & bottom /
cable tree pre-installation



Customized EVA foam with patented HT foam screws



Colored EVA foam samples

BLISTER INTERIOR DESIGN

Your **HENGTIME** project manager can check your project requirements and might recommend a blister interior. Design and production work flows aim at a high quality results for excellent look, functionality, and durability.

Here some examples of **HENGTIME** cases with blister interior designs:



Blister tray interiors in Go! case HT021 and small storage box E-545.

TRAY SYSTEMS INTERIOR DESIGN

We at **HENGTIME** have a lot of experience with all different interior design technologies. Tray systems are especially great solutions and combine different technologies for maximum operational comfort, ergonomics, and compact form factor.

Here some examples of **HENGTIME** cases with tray interior designs:



Removable tray systems for integrated IT applications (BVR) in waterproof case (HT9065)



SOURCING SERVICE:

WE'LL FIND WHAT YOU ARE LOOKING FOR ...

The dedicated **HENGTIME** Sourcing Team supports you selecting suppliers that will ensure their products will deliver the best results as the source for your project related goods.

Transparent, reliable, and communicative, we have been investing time and effort to get to know reliable suppliers for a wide range of products for many years. We are visiting them and ask the tough questions.

Working directly with manufacturers and cutting out the middlemen allow to get products at the most affordable price.

We also handle or arrange quality control and audits as requested. Read more about Quality Control on **Page 61**.

Simply reach out to us if you want to know more how to get more bang-for-the-buck.



TECHNICAL SERVICES

HENGTIME THE PROBLEM SOLVING PARTNER

If you need to squeeze the elephant into the lift we at **HENGTIME** are ready to help.

Our dedicated R&D and power electronics teams are on stand by to calculate, design, draw and deliver solutions for your projects.

Quick and straightforward mechanical or electrical engineering support available. Sometimes unexpected problems materialize unexpectedly during the project progress or we identify issues which were overlooked.

Is it a custom part for your electronics or the calculation of battery systems, optimized according to operation time, charging time, battery capacities, temperature management, and the other important factors.

Battery systems' tender specifications, and project requirements accordingly, are often very demanding with respect to weight restrictions, long operating time and short charging time, and all optimized within tight budgets to remain competitive.

We are waiting for your questions, please contact us for further details.

Here some examples of **HENGTIME** tech solutions, developed for or with our customers:



htmp. mobile power
htmp. USB PD 3.0 module

Challenge:

Our customer had to change the laptop in an integrated IT case due to delivery issues at an advanced stage of their project. It was overlooked that it featured only an USB C charging port, incompatible with their low-tech battery, which had to remain unchanged in the kit. The time window to project delivery was very short.

Solution:

The htmp. (**HENGTIME MOBILE POWER**) R&D team modified their **USB Power Delivery 3.0 Connector** and made it compatible with the existing project battery to supply 20VDC@100W. Additionally we produced the necessary marked USB-C charging cable in custom length. Re-design, testing and production of the substantial quantity was fast and flawless. We updated the cable tree and delivered case, interior, and pre-assembled components together without any delay.



Challenge:

The customer needed a SMT battery connector with specified elevated spring force.

Solution:

HENGTIME finalized the design draft production-ready, delivered production samples, and the final product packed in 16mm ANSI/ EIA-481 standard Tape & Reel.

Custom made SMT battery contact, stainless steel, gold plated. 3d animation, samples. Design © Vesala Oy, Finland



ASSEMBLY SERVICES

CABLES, CONNECTORS AND PARTS

Assembly costs can be very high, when complicated cable assemblies and connectors have to be placed inside a case interior after production. It is much eleganter, faster and cheaper to place cable, connections, and certain parts while we build the case interior. The final assembly can be done at your side with the main components literally plug-and-play. AC, DC power, and USB cables and connectors are in place for super-quick connect. The necessary assembly time is reduced to the minimum.

No confusing of cables or plugs anymore.

We will offer you assembly services suitable for your project for absolutely sensationally low costs. Questions? Get in touch!



Assembly with pre-installed cable trunks for DC power and USB lines.



QUALITY CONTROL

MAKE SURE THERE ARE NO SURPRISES

Products of highest quality are the result of stringent quality control.

Great designs shine only with excellent materials, flawless production, careful packaging, and proper handling.

The building blocks of our **HENGTIME** QC system almost guaranty a 100% "QC passed" production track record.

RAW MATERIAL MONITORING

We test raw materials regularly to confirm the required technical specifications. Every material batch goes through the REACH and RoHS testing, even though we source raw materials only from well known international brands.

SUPPLIER MONITORING

Dedicated **HENGTIME** QC teams perform scheduled and unscheduled inspections at our suppliers production facilities. Our inspectors are also advised to look out for work safety issues and check if companies fulfil their legal obligations towards their workforces.

HENGTIME PRODUCTION PROCESS QC & MONITORING

In every stage of our production workflows we implemented QC processes and error protocol systems for immediate feedback. There are very interesting and popular team incentives in place for on-time and error-free production runs.

QC AND AUDIT OF YOUR 3RD PARTY SUPPLIERS

Due to the very difficult travel situation, we are asked increasingly and regularly to visiting, inspecting and auditing 3rd party suppliers of our customers. We also test intially product samples of your new suppliers, hereby building confidence in your sources, and saving time and money.



LOGISTIC SERVICES

FROM HENGTIME TO YOU ...

The dedicated **HENGTIME** Logistics Team is handling all logistics related processes in-house. We work closely with your team to pack and store your **HENGTIME** products exactly how specified, connect with your shipping agent or recommend reliable and trustworthy agents here for easy and convenient communication.



INDIVIDUAL CARTONS

On request we customize individual cartons of **HENGTIME** cases further or design special cartons for your cases.



MASTER CARTONS

We customize **HENGTIME** master cartons with your branding, shipping information, and handling instructions or more.



PALLET LOADING

We highly recommend pallet loading of your **HENGTIME** products for safe transport and convenient handling. For Sea and Air shipments we exclusively use certified, extremely stable, and lightweight pallets. Made to last they will continue to do the job in your warehouse, or can be reused.



TEMPORARY STORAGE

We offer temporary storage of your **HENGTIME** products in our secure warehouse until the goods are shipped out.



ON-DEMAND DELIVERY

Lack of space but want to take advantage of attractive discounts on higher quantities? No problem. We store and ship on demand.

SHIPPING

HENGTIME SERVICES TURN YOUR LOGISTICS NIGHTMARE INTO A CALM JOURNEY.

Our teams provide excellent advice and services for fast transport of your goods with respect to your budget.

We help you to stay clear of the shipping drama unfolding this year. With strong and reliable logistic partners and flexibility we handle the challenging shipping situation quite well. We always have container available and get your goods shipped out quickly.



SEA FREIGHT

... is the main transport mode for our products. Especially big volumes can travel for comparable low costs by sea. Our factory and warehouse are located conveniently close to the important container ports of Shenzhen and Hong Kong.



AIR FREIGHT

If time is an issue or the shipping volume is not very high, air freight is a great option. The airports in Guangzhou, Shenzhen, and Hong Kong are all nearby. In extraordinary short time the goods reach any place in the world. Shipping quite some volume via Air Freight, we can offer extremely competitive prices through our agents.



COURIER SERVICE

Small quantities, case or material samples are ideally sent out with courier services. Based on our bulk shipping with main companies we offer very interesting courier shipping prices for UPS and DHL from China and Hong Kong, and FedEx via Hong Kong.

100% reliability, smooth communication, and very competitive prices are our strength. We are looking forward to submit an offer for logistics services!

Contact us for further details.

ENVIRONMENT AND SUSTAINABILITY

MATERIALS

Plastic materials for high quality products are petro-chemicals. It is important to save resources wherever possible and we at **HENGTIME** are serious to reduce waste and pollution.

Due to modern machinery and strict protocols we are able to reduce material waste to a minimum.

All our products are recyclable and we also recycle waste material or parts which do not pass our strict quality control.

This material is channeled into a recycling network and will be used for other products.

RECYCLED RAW MATERIALS

While we are recycling all our plastic waste 100%, we are reluctant to use recycled raw materials. Often re-used plastics are not completely mono-material and impurities of other plastics modify technical properties unpredictably. Recycled materials may lack the suitable purity for food-contact applications, which is our "golden standard".

For packaging or bags we use recycled material.

All paper materials we use are coming from sustainable sources and we also use recycled material wherever possible.

"BIOPLASTICS"

Unfortunately - as of today - plastics made in whole or in part from plant-derived renewable resources do not yet fulfil the technical properties we need for our products. Bioplastics are a great concept for disposable products and have found a growing number of applications. We are testing new products and hope that we can replace at least some of our petrochemicals in the future.

WATER & ENERGY

Clean water is for the majority of humanity still luxury. We use cooling water in the plastic injection molding process.

With state-of-the-art machinery and efficient processes we not only recycle this cooling water close to 100%, but we have also been very successful in reducing our overall electricity consumption each year, while our production output has grown massively.

RESPONSIBILITY

CLEAN PRODUCTS

We exclusively use top-grade virgin raw plastic materials from internationally renowned companies.

All materials are tested and certified free of toxic substances according to REACH,

RoHS ("RoHS3 compliant without exemptions"), and other standards.

FDA approved raw materials are also available for all products. Accordingly all additional substances used during the production, like oils, releasing agents, and others are FDA food grade certified.

For more information about the technical details of these regulations you may read more here:

REACH / website of the European Chemical Agency (ECHA): <https://echa.europa.eu/regulations/reach/understanding-reach>

RoHS3 / website of the EU: https://ec.europa.eu/environment/topics/waste-and-recycling/rohs-directive_en

FDA / website: <https://www.fda.gov/food/food-ingredients-packaging/packaging-food-contact-substances-fcs>

California Proposition 65 / website OEHHA: <https://oehha.ca.gov/proposition-65>

SAFE PRODUCTS

All our products are safe to use, and certified whenever applicable according to  and  regulations.

SOCIAL RESPONSIBILITY AND INCLUSION

WORK ENVIRONMENT

Work safety, clean and light workplaces, regulated working hours, and our financial commitment to social security and health plans for all employees are contributing to a positive and motivating atmosphere.

Manager and team leader can opt for flexible work-from-home times which is especially welcomed by mothers of smaller children.

Long-term employee retention at **HENGTIME**, which has remained constant over the past ten years, is an indication of employee satisfaction in white and blue collar positions.

INCLUSION AND DEVELOPMENT

From the start, **HENGTIME** has been a place without any bias towards race or gender. We are an international team with 70% women in leading positions. We encourage, motivate and support further training for young talented employees, mostly female.

Teams enjoy incentives like group trips, weekly company sport activities during the working time, and other regular team building events.

HENGTIME IN THE WWW

hengtimelimited.com
hengtimelimited.en.alibaba.com

hengtimelimited.en.alibaba.com



hengtimelimited.com



HENGTIME IN SOCIAL MEDIA



HengTime Group SUBSIDIARIES & AFFILIATES

Hengtime Limited, Hong Kong
Shenzhen Hengtime Plastics, China
Hengtime Consult, Hong Kong
Hengtime Mobile Power, Hong Kong

LOCATIONS

We are maintaining offices and factories in Hong Kong, Shenzhen, Dongguan and Guangzhou, and in Florence, Italy. Visitors are very welcome!

GET IN TOUCH!

Shenzhen Operations Administrative Office
Century Spring City 4, 3C, 2512, Minzhi Street, Longhua
Shenzhen 518131, CHINA

深圳市龙华区民治街道民强社区世纪春城四期3 号楼3 单元2512

phone: +86-755-2904 5479
fax: +86-755-2810 6455
mobile: +86-138-2332 5011
email: sales@hengtimelimited.com
whatsapp: +852 5304 8483




MORE HENGTIME PRODUCTS & INFORMATION

Our product lines:



small storage boxes

equally interesting for
box-in-box or
stand alone applications.



cosmetic and toy boxes



htmp. HengTime mobile Power

A comprehensive suite of technical products dedicated to
portable professional systems, computer kits and biometric
devices and related planning and designing services

Please contact our sales team and we will email more information straight away.
All speciality catalogues are ready for download also directly from our website.



HENGTIME LIMITED

phone: +86-755-2904 5479

fax: +86-755-2810 6455

mobile: +86-138-2332 5011


email: sales@hengtimelimited.com

www.hengtimelimited.com

Address

Shenzhen Operations Administrative Office
Century Spring City, Phase 4, Building 3C, 2512,
Minzhi Street, Longhua,
518131 Shenzhen, China

深圳市龙华区民治街道民强社区世纪春城四期3
号楼3 单元2512



hengtimelimited.en.alibaba.com

Get to know us better:
find out more on our websites
or get in touch!



hengtimelimited.com